

Eurovac provides a variety of portable units that are perfect for eliminating unwanted dust and dangerous particles in a body shop facility. Each unit is constructed in heavy duty 14 gauge steel and are all finished with a tough and durable powder coat. These units in particular are perfect for capturing particulates generated through **steel work**.

### SYSTEM UPGRADES

The following are optional system upgrades that are available as an add-on to any of our portable units.



Accessory cart with lockable cabinet



Top storage tray



Auto filter cleaning

## **EUROVAC II – "CYCLONIC" PORTABLE**



- A powerful 2.5HP 1300 watt motor allows for two sanders to work simultaneously
- Available with a 5 or 10 gallon canister
- Vacuum speed dial to ensure the proper amount of airflow and suction
- Superior filtration: 30ft<sup>2</sup> of filter area with availability to add HEPA filtration. HEPA filter removes the remaining 99.97% of sanding dust to a minimum of at .3 micron particles
- 115/1/60Hz or 50Hz models available with 15 ft. plug

## **EUROVAC II - "COMPACT" PORTABLE**

- A powerful 2.5HP 1300 watt motor allows for two sander to work simultaneously
- Vacuum speed dial to ensure the proper amount of airflow and suction
- Includes HEPA filtration which removes 99.97% of sanding dust to a minimum of at .3 micron particles
- Disposable paper bag filter secured inside steel drum for convenient collection and removal of dust and particulate
- 115/1/60Hz or 50Hz models available with 15 ft. plug



SYS-050-17900000



With a wave of new vehicles being manufactured in aluminum, Eurovac has become the go-to source for systems capable of safely capturing explosive aluminum dust.

## PORTABLE WET MIX DUST COLLECTORS



SYS-050-18300300

These powerful wet mix dust collectors have become a staple in aluminum repair and effectively capture aluminum dust by introducing the element of water. Key highlights of these units include:

- Powerful 13.8 amp motor with sealed bearings built to handle moist air from wet collector. 1560 watt pump produces 145" of water column; 140 free flow CFM. Has enough power for 2 technicians to sand with orbital sanders simultaneously.
- 2" ball valve, hose & bucket at the bottom of the separator for removing sludge
- Three position vacuum switch: On/Off/Automatic
- Initial venturi entry (for deep penetration of dust into water), secondary baffles (to help knock water/dust back down) and final mist eliminator (99% efficient to 5 microns).
   Optional HEPA filter.
- Includes plastic sight glass to determine when water should be added
- Stainless steel construction

## TO MEET NFPA REQUIREMENTS, BASE UNITS MAY BE PURCHASED WITH THESE ADDITIONAL FEATURES TO SATISFY CODE OBLIGATIONS:

- Run delay switch and off delay switch Low water level shut down detection device
- Interlocking air supply which turns the unit on when tool is in use

# EUROVAC PNEUMATIC PORTABLE

The Eurovac II Pneumatic Portable is powered by compressed air (used to eliminate the chance of dust or gas explosion caused by a sparking motor) being forced through a venturi to create a powerful vacuum. To meet NFPA codes, the system is grounded and vacuum hoses and cuffs are static conductive.

- Safely collects fine powders, explosive dusts and debris. Can be used in Class I-Group D and Class II – Groups E, F & G hazardous locations.
- True cyclonic filtration removes virtually all dust prior to the second cartridge
  filter. Final polyester cartridge filter is efficient up to 99.93% at 3 micron or
  larger. HEPA filtration available by adding a chamber between the pump and
  regular filters. The HEPA filter removes the remaining 99.97% of sanding dust
  to a minimum of .3 micron particle.
- Manual flow valve on the air intake ensures the proper amount of airflow and suction for your application
- Available with either a 5 or 10 gallon canister (5 gallon required for aluminum)





The Eurovac explosion proof portable is the perfect system for handling composite repair.

## **EUROVAC EXPLOSION PROOF PORTABLE**



- Powerful 2.5HP 1300 watt explosion proof motor and vacuum pump provide 140 CFM and 70" water column
- Explosion proof starter and junction box
- Excellent filtration the tangential entry and the cyclonic one remove 85% of dust before it reaches the large 8"x16" polyester cartridge filter (30ft<sup>2</sup> of filter media)
- Includes final HEPA filtration which removes 99.97% of sanding dust to a minimum of at .3 micron particles
- Unit is grounded to eliminate static build-up
- Available with either a 5 or 10 gallon canister (5 gallon required for aluminum)
- Mounted on a heavy duty welded tubular steel frame complete with powder coat finish and 4" poly rear wheels and 2" swivel (lockable) front wheels. Unit also available in stainless steel.



For every need and budget, trust the portable vacuum specialists.

For more information, contact Eurovac:

CANADA and USA Toll-Free 800-265-3878 / Fax 416-744-8079 44 Milvan Dr., North York, ON M9L 1Z3 5927 Center Rd, Unit 3, Valley City, OH 44039

www.eurovac.com

