





Eurovac II - (1 & 2 Man Detail Vacuum Systems) (Intermittent Duty Cycle)


Eurovac II - 2.5HP Detail System 1 Man Systems	Description	Eurovac Part No.											
	Eurovac II 2.5HP (1 Man Detail System) Brush Motor - 4000 Hrs	SYS-050-164BS000											
	Eurovac II 2.5HP (1 Man Detail System) Brushless Motor - 8000 hrs	SYS-050-160BSB00											
	<ul style="list-style-type: none"> • Unit on legs is our standard. Wall mount available upon request at no additional charge. • Cyclonic filter separator before the final bag filters. • Single phase voltage: 115/1/60. • Utilizes low voltage (24 volt, 1 phase) wiring to turn system on/off at the inlet or with toggle switches. 												
	<table border="1"> <thead> <tr> <th>Separator Size</th> <th>Filter Bag #</th> <th>Filter Bag Size</th> </tr> </thead> <tbody> <tr> <td>18"</td> <td>57-16VP1011</td> <td>5 3/4" x 16"</td> </tr> <tr> <th>Filter Bag Qty.</th> <th>Can Size</th> <td></td> </tr> <tr> <td>4</td> <td>20 Gallon</td> <td></td> </tr> </tbody> </table>	Separator Size	Filter Bag #	Filter Bag Size	18"	57-16VP1011	5 3/4" x 16"	Filter Bag Qty.	Can Size		4	20 Gallon	
Separator Size	Filter Bag #	Filter Bag Size											
18"	57-16VP1011	5 3/4" x 16"											
Filter Bag Qty.	Can Size												
4	20 Gallon												
Eurovac II - 5HP Detail System 2 Man System	Description	Eurovac Part No.											
	Eurovac II 5HP (2 Man Detail System) Brush Motor - 4,000 Hrs	SYS-050-00800000											
	Eurovac II 5HP (2 Man Detail System) Brushless Motor - 8,000 hrs	SYS-050-006B0000											
	<ul style="list-style-type: none"> • Unit on legs is our standard. Wall mount available upon request at no additional charge. • Cyclonic filter separator before the final bag filters. • Voltage: 1 Phase 60 Hertz 220/120 (4 wire: 2 Hot, 1 Neutral & 1 Ground). Nema #L1420P plug provided. • Utilizes low voltage (24 volt, 1 phase) wiring to turn system on/off at the inlet or with toggle switches. 												
	<table border="1"> <thead> <tr> <th>Separator Size</th> <th>Filter Bag #</th> <th>Filter Bag Size</th> </tr> </thead> <tbody> <tr> <td>18"</td> <td>57-16VP1011</td> <td>5 3/4" x 16"</td> </tr> <tr> <th>Filter Bag Qty.</th> <th>Can Size</th> <td></td> </tr> <tr> <td>4</td> <td>20 Gallon</td> <td></td> </tr> </tbody> </table>	Separator Size	Filter Bag #	Filter Bag Size	18"	57-16VP1011	5 3/4" x 16"	Filter Bag Qty.	Can Size		4	20 Gallon	
Separator Size	Filter Bag #	Filter Bag Size											
18"	57-16VP1011	5 3/4" x 16"											
Filter Bag Qty.	Can Size												
4	20 Gallon												
Dome Lid (Outdoor Applications)	Description	Eurovac Part No.											
	Dome Lid For EII Systems	SYS-050-00DOME00											

Eurovac I - (2, 3 & 4 Man Detail Vacuum Systems) (Continuous Duty Cycle)

Eurovac I - "Board Mounted" 5HP & 10HP 2 & 3 Man System	Description	Eurovac Part No.											
	Eurovac I - 5HP "Board Mounted" (2 Man Detail System) 140 CFM at 60" WG CFM at 50" WG	150 SYS-030-100000DS											
	Eurovac I - 6.7HP "Board Mounted" (2 Man Detail System) 150 CFM at 60" WG 170 CFM at 50" WG	SYS-030-150000DS											
	Eurovac I - 10HP 230/460v "Board Mounted" (3 Man Detail System) 250 CFM at 70" WG 275 CFM at 60" WG	SYS-030-31500000											
	Eurovac I - 10HP 575v "Board Mounted" (3 Man Detail System) 250 CFM at 70" WG 275 CFM at 60" WG	SYS-030-31500005											
	<ul style="list-style-type: none"> • Board mount system which comes pre-wired from panel to pump. • 20,000+ of continuous use • Cyclonic filter separator & final bag filters. • Includes starter with overload protection, off delay timer and step down to low voltage wiring for on/off switches at the inlet • 208-240, 460 and 575 volts. 3 phase, 60 hertz. • Includes silencer (Cabinet extra) <p><i>System is typically used when space is an issue or when a cabinet is needed due to noise issues. The Eurovac I - 5HP is used for short pipe runs under 100'</i></p>												
	<table border="1"> <thead> <tr> <th>Separator Size</th> <th>Filter Bag #</th> <th>Filter Bag Size</th> </tr> </thead> <tbody> <tr> <td>18"</td> <td>57-16VP1011</td> <td>5 3/4" x 16"</td> </tr> <tr> <th>Filter Bag Qty.</th> <th>Can Size</th> <td></td> </tr> <tr> <td>4</td> <td>20 Gallon</td> <td></td> </tr> </tbody> </table>	Separator Size	Filter Bag #	Filter Bag Size	18"	57-16VP1011	5 3/4" x 16"	Filter Bag Qty.	Can Size		4	20 Gallon	
Separator Size	Filter Bag #	Filter Bag Size											
18"	57-16VP1011	5 3/4" x 16"											
Filter Bag Qty.	Can Size												
4	20 Gallon												
Optional Sound Attenuation Cabinet <ul style="list-style-type: none"> • The cabinet is painted metal and is lined with sound attenuation material. • Reduces sound by 5 dba at 3 meters. 	Description 4' x 2' x 7' High Sound Attenuation Cabinet Blue	Eurovac Part No. SYS-030-705B0000											
Eurovac I - "Combo Unit" 5HP, 10HP & 20HP 2, 3 & 4 Man Systems	Description	Eurovac Part No.											
	Eurovac I - 5HP Combo Unit (2 Man Detail System) 140 CFM at 60" WG 150 CFM at 50" WG	SYS-030-100C00PC											
	Eurovac I - 6.7HP Combo Unit (2 Man Detail System) 150 CFM at 60" WG 170 CFM at 50" WG	SYS-030-150C00PC											
	Eurovac I - 10HP 230/460v "Combo Unit" (3 Man Detail System) 250 CFM at 70" WG 275 CFM at 60" WG	SYS-030-315C00PC											
	Eurovac I - 10HP 575v "Combo Unit" (3 Man Detail System) 250 CFM at 70" WG 275 CFM at 60" WG	SYS-030-315C0PC5											
	Eurovac I - 20HP "Combo Unit" (4 Man Detail System) 320 CFM at 70" WG 380 CFM at 60" WG	SYS-030-361C00PC											


	Eurovac I - 20HP 460v or 575v Super Vacuum Blower Upgrade - Additional Amount <ul style="list-style-type: none"> ● 30% More Suction Than Standard EI 20HP System 550 CFM at 60" WG <ul style="list-style-type: none"> ● NOTE: Only upgrade if extra performance is needed - avoid extended low flow operating conditions ● NOTE 2: Not available in 208/3/60 	UPG-20SUPVAC						
	<ul style="list-style-type: none"> ● Stand mount system which comes pre-wired from panel to pump. ● 20,000+ hours of continuous use ● Cyclonic filter separator, after bag filters and plastic tote canister ● Includes starter with overload protection, off delay timer and step down to low voltage wiring for on/off switches at the inlet ● 208-240, 460 and 575 volts. 3 phase, 60 hertz. 							
	<table border="1"> <tr> <td>Separator Size</td> <td>Filter Bag #</td> <td>Filter Bag Size</td> </tr> <tr> <td>24"</td> <td>FIL-057-320P1011</td> <td>5 3/4" x 32"</td> </tr> </table>	Separator Size	Filter Bag #	Filter Bag Size	24"	FIL-057-320P1011	5 3/4" x 32"	
Separator Size	Filter Bag #	Filter Bag Size						
24"	FIL-057-320P1011	5 3/4" x 32"						
	<table border="1"> <tr> <td>Filter Qty.</td> <td>Can Size</td> </tr> <tr> <td>8</td> <td>10 Gal Plastic Tote</td> </tr> </table>	Filter Qty.	Can Size	8	10 Gal Plastic Tote			
Filter Qty.	Can Size							
8	10 Gal Plastic Tote							
Separator Options	Description	Eurovac Part No.						
	Change To 30 Gallon Powder Coated Steel Canister	CHG-24IN30G						
	Upgrade To Manual Shaker	UPG-EIMS						





Eurovac III - (4 to 75+ Man Detail Vacuum Systems) (Continuous Duty Cycle)

Eurovac III - 15HP to 75HP Detail System 4 to 30+ Man System	Description	Eurovac Part No.									
	Eurovac III - 15HP (4-5 user system) 30" Separator Airflow - 470 CFM at 90" WG (6.5"Hg)	SYS-15C-6524BS0B									
	Eurovac III - 20HP (6-7 user system) 30" Separator Airflow - 620 CFM at 90" WG (6.5"Hg)	SYS-20C-6524BS0B									
	Eurovac III - 25HP (8-9 user system) 30" Separator Airflow - 780 CFM at 96" WG (7"Hg)	SYS-25C-7030BS0B									
	Eurovac III - 30HP (10-11 user system) 38" Separator Airflow - 880 CFM at 96" WG (7"Hg)	SYS-30C-7038BS0B									
	<ul style="list-style-type: none"> ● Centrifugal multi-stage blowers are energy efficient ● 20,000 hours of continuous operation. ● Cyclonic filter separator, after bag filters and plastic tote canister ● Includes starter with overload protection ● 208-240, 460 and 575 volts. 3 phase, 60 hertz. ● Includes silencer 										
	<table border="1"> <tr> <td>Separator Size</td> <td>Filter #</td> <td>Filter Size</td> </tr> <tr> <td>30"</td> <td>FIL-057-320P1011</td> <td>5 3/4" x 32"</td> </tr> </table> <table border="1"> <tr> <td>Filter Qty.</td> <td>Can Size</td> </tr> <tr> <td>15</td> <td>10 Gal Plastic Tote</td> </tr> </table>	Separator Size	Filter #	Filter Size	30"	FIL-057-320P1011	5 3/4" x 32"	Filter Qty.	Can Size	15	10 Gal Plastic Tote
Separator Size	Filter #	Filter Size									
30"	FIL-057-320P1011	5 3/4" x 32"									
Filter Qty.	Can Size										
15	10 Gal Plastic Tote										
	Larger systems are available up to 150HP for as many 25-30 technicians detailing at one time.										
Separator Options	Description	Eurovac Part No.									
	Change To 30 Gallon Powder Coated Steel Canister	CHG-30IN30G									
	Upgrade To Manual Shaker	UPG-EIMS									


Central Chemical Dispensing System

Chemical Dispensing System - Floor Mount	Description	Eurovac Part No.
	<p>Central Dispensing Center (1 Chemical)</p> <ul style="list-style-type: none"> ● 1 Hydrominder ● 1 Dispensing Pump & Regulator <p>(includes all interconnecting flexible connections)</p> <ul style="list-style-type: none"> ● NO Heated Extractor ● Locking Bar For 5gal Chemical 	SYS-020-CDC1CHEM
	<p>Central Dispensing Center (2 Chemical)</p> <ul style="list-style-type: none"> ● 2 Hydrominders ● 2 Dispensing Pumps & Regulators <p>(includes all interconnecting flexible connections)</p> <ul style="list-style-type: none"> ● NO Heated Extractor ● Locking Bar For 5gal Chemicals 	SYS-020-CDC2CHEM
	<p>Central Dispensing Center (3 Chemical)</p> <ul style="list-style-type: none"> ● 3 Hydrominders ● 3 Dispensing Pumps & Regulators <p>(includes all interconnecting flexible connections)</p> <ul style="list-style-type: none"> ● NO Heated Extractor ● Locking Bar For 5gal Chemicals 	SYS-020-CDC3CHEM
	<p>Central Dispensing Center (4 Chemical)</p> <ul style="list-style-type: none"> ● 3 Hydrominders ● 4 Dispensing Pumps & Regulators <p>(includes all interconnecting flexible connections)</p> <ul style="list-style-type: none"> ● NO Heated Extractor ● Locking Bar For 5gal Chemicals 	SYS-020-CDC4CHEM
	<p>Central Dispensing Center (5 Chemical)</p> <ul style="list-style-type: none"> ● 4 Hydrominders ● 5 Dispensing Pumps & Regulators <p>(includes all interconnecting flexible connections)</p> <ul style="list-style-type: none"> ● NO Heated Extractor ● Locking Bar For 5gal Chemicals 	SYS-020-CDC5CHEM
	<p>Central Dispensing Center (6 Chemical)</p> <ul style="list-style-type: none"> ● 4 Hydrominders ● 6 Dispensing Pumps & Regulators <p>(includes all interconnecting flexible connections)</p> <ul style="list-style-type: none"> ● NO Heated Extractor ● Locking Bar For 5gal Chemicals 	SYS-020-CDC6CHEM
	<p>Central Dispensing Center (7 Chemical)</p> <ul style="list-style-type: none"> ● 6 Hydrominders ● 7 Dispensing Pumps & Regulators <p>(includes all interconnecting flexible connections)</p> <ul style="list-style-type: none"> ● NO Heated Extractor ● Locking Bar For 5gal Chemicals 	SYS-020-CDC7CHEM
	<p>Central Dispensing Center (8 Chemical)</p> <ul style="list-style-type: none"> ● 6 Hydrominders ● 8 Dispensing Pumps & Regulators <p>(includes all interconnecting flexible connections)</p> <ul style="list-style-type: none"> ● NO Heated Extractor ● Locking Bar For 5gal Chemicals 	SYS-020-CDC8CHEM


Chemical Dispensing System - Wall Mnt	Description	Eurovac Part No.
	Central Dispensing Center - Wall Mnt (1 Chemical) <ul style="list-style-type: none"> ● 1 Hydrominder ● 1 Dispensing Pump & Regulator (includes all interconnecting flexible connections) <ul style="list-style-type: none"> ● NO Heated Extractor ● 5gal or 55gal Chemicals Sit On Floor Below Wall Mnt Center 	SYS-020-CDC1CHEW
	Central Dispensing Center - Wall Mnt (2 Chemical) <ul style="list-style-type: none"> ● 2 Hydrominders ● 2 Dispensing Pumps & Regulators (includes all interconnecting flexible connections) <ul style="list-style-type: none"> ● NO Heated Extractor 	SYS-020-CDC2CHEW
	Central Dispensing Center - Wall Mnt (3 Chemical) <ul style="list-style-type: none"> ● 3 Hydrominders ● 3 Dispensing Pumps & Regulators (includes all interconnecting flexible connections) <ul style="list-style-type: none"> ● NO Heated Extractor ● 5gal or 55gal Chemicals Sit On Floor Below Wall Mnt Center 	SYS-020-CDC3CHEW
	Central Dispensing Center - Wall Mnt (4 Chemical) <ul style="list-style-type: none"> ● 3 Hydrominders ● 4 Dispensing Pumps & Regulators (includes all interconnecting flexible connections) <ul style="list-style-type: none"> ● NO Heated Extractor ● 5gal or 55gal Chemicals Sit On Floor Below Wall Mnt Center 	SYS-020-CDC4CHEW
	Central Dispensing Center - Wall Mnt (5 Chemical) <ul style="list-style-type: none"> ● 4 Hydrominders ● 5 Dispensing Pumps & Regulators (includes all interconnecting flexible connections) <ul style="list-style-type: none"> ● NO Heated Extractor ● 5gal or 55gal Chemicals Sit On Floor Below Wall Mnt Center 	SYS-020-CDC5CHEW
	Central Dispensing Center - Wall Mnt (6 Chemical) <ul style="list-style-type: none"> ● 4 Hydrominders ● 6 Dispensing Pumps & Regulators (includes all interconnecting flexible connections) <ul style="list-style-type: none"> ● NO Heated Extractor ● 5gal or 55gal Chemicals Sit On Floor Below Wall Mnt Center 	SYS-020-CDC6CHEW
	Central Dispensing Center - Wall Mnt (7 Chemical) <ul style="list-style-type: none"> ● 6 Hydrominders ● 7 Dispensing Pumps & Regulators (includes all interconnecting flexible connections) <ul style="list-style-type: none"> ● NO Heated Extractor ● 5gal or 55gal Chemicals Sit On Floor Below Wall Mnt Center 	SYS-020-CDC7CHEW
	Central Dispensing Center - Wall Mnt (8 Chemical) <ul style="list-style-type: none"> ● 6 Hydrominders ● 8 Dispensing Pumps & Regulators (includes all interconnecting flexible connections) <ul style="list-style-type: none"> ● NO Heated Extractor ● 5gal or 55gal Chemicals Sit On Floor Below Wall Mnt Center 	SYS-020-CDC8CHEW

Optional Upgrades For Chemical Dispensing System	Description	Eurovac Part No.
	55 Gallon Drum Upgrade (1 Chemical) <ul style="list-style-type: none"> Upgrade to a unit that will accommodate one 55 gallon drum for the hydrominder mixer 	SYS-020-CDC1CH55
	55 Gallon Drum Upgrade (2 Chemical) <ul style="list-style-type: none"> Upgrade to a unit that will accommodate two 55 gallon drums for the hydrominder mixers 	SYS-020-CDC2CH55
	55 Gallon Drum Upgrade (3 Chemical) <ul style="list-style-type: none"> Upgrade to a unit that will accommodate three 55 gallon drums for the hydrominder mixers 	SYS-020-CDC3CH55
	55 Gallon Drum Upgrade (4 Chemical) <ul style="list-style-type: none"> Upgrade to a unit that will accommodate three 55 gallon drums for the hydrominder mixers and one 5 gallon container for ready to use 	SYS-020-CDC4CH55
	55 Gallon Drum Upgrade (5 Chemical) <ul style="list-style-type: none"> Upgrade to a unit that will accommodate four 55 gallon drums for the hydrominder mixers and one 5 gallon container for ready to use 	SYS-020-CDC5CH55
	55 Gallon Drum Upgrade (6 Chemical) <ul style="list-style-type: none"> Upgrade to a unit that will accommodate four 55 gallon drums for the hydrominder mixers and two 5 gallon containers for ready to use 	SYS-020-CDC6CH55
	55 Gallon Drum Upgrade (7 Chemical) <ul style="list-style-type: none"> Upgrade to a unit that will accommodate four 55 gallon drums for the hydrominder mixers and two 5 gallon containers for ready to use 	SYS-020-CDC7CH55
	55 Gallon Drum Upgrade (8 Chemical) <ul style="list-style-type: none"> Upgrade to a unit that will accommodate six 55 gallon drums for the hydrominder mixers and one 5 gallon container for ready to use 	SYS-020-CDC8CH55
	Heated Extractor Upgrade: One of the chemicals can include a heated all purpose cleaning fluid (mixed with water) which is pumped to a dispenser located right below the vacuum cleaning tool. <ul style="list-style-type: none"> Includes return timer for periodically recirculating the chemical back through the heater, to ensure product stays hot out at the point of use. 	UPG-EXT
	Hydrominder Upgrade: Change a ready to use chemical to one a concentrate chemical by adding a hydrominder	UPG-HYD
	THICKER PRODUCT UPGRADE - PUMP: <ul style="list-style-type: none"> Upgrade From 1/4" Pump TO 1/2" Pump Required for dispensing of thicker products such as waxes. Thicker products are typically atomized with a Binks gun (see pendant drop pricing for Binks gun upgrades). 	UPG-TH14TO12

Central Hot Rug Shampoo Dispensing System



Heated Extractor	Description	Eurovac Part No.
	1 Chem (Heated Ext) Central Dispensing System FloJet Pump 1/4" & Regular Temperature (130 Degree's Fahrenheit Max)	SYS-020-CDC1CHEM
	1 Chem (Heated Ext) Central Dispensing System ARO Pump 1/4" & Regular Temperature (130 Degree's Fahrenheit Max)	SYS-020-CDC1CHE1
	<p>Description: The Central Shampoo Dispensing System provides a central heated carpet cleaner application system and for picking up the wet solution from the carpet. The vacuum tool and applicator are integrated into the same tool.</p> <p>Equipment includes:</p> <ul style="list-style-type: none"> ● Electric Heater ● Hydrominder for mixing water and cleaning fluid ● 1 Dispensing Pump & Regulator (includes all interconnecting flexible connections) ● Includes return timer for periodically recirculating the chemical back through the heater, to ensure product stays hot out at the point of use <p>Note: Eurovac highly recommends the installation an RO system or at least a water softener for the incoming 1/2" water line.</p> <p><i>*Central Dispensing Hose & Claw and PVC tubing not included in the pricing</i></p> <p><i>*Heated extractor chemical extra</i></p>	




Portable Detail Systems

Four Chemical Dispensing Portable	Description	Eurovac Part No.
	Portable Dispensing Unit - 4 Chemical Lines	SYS-020-PDC4CHEM
	<p>Description: The following is a powder coat finished portable chemical dispensing system for pumping the four primary chemicals properly mixed with water to 25' self-store coiled hose assemblies located on both sides of the portable. Unit also includes two 25' x 1/4" compressed airlines with blow gun for blowing out the debris from cracks and crevices.</p> <p>Equipment includes:</p> <ul style="list-style-type: none"> - 4 Flo Jet pumps - 4 Hydrominders for mixing cleaning fluid with water - 8 Chemical application guns with 25' self-store coiled hose assemblies. - 2 1/4" x 25' airline with blow gun. - 4 Air regulators 	



Detailing Cart	Description	Eurovac Part No.
	Eurovac Detailing Cart	SYS-020-PDC10000
	Detail Service Cart - 24"W x 36"L x 32"H <ul style="list-style-type: none"> • Cart Mounted 8 Hole Spray Bottle Storage 	

Vacuum System Work Stations





Single Detail Work Station	Description	Eurovac Part No.
	Single PVC Detail Work Station Includes: Wall or Hanging Drop with 30' PVC pipe, bends & fittings <ul style="list-style-type: none"> • Micro Switch Inlets or Continuous Run as per system • Includes rise clamp and hose hanger • Must add header pipe upgrade below • Based on 18' ceiling height • NOT INCLUDED: Hose/Holster/Claw 	SYS-050-20530
Double Detail Work Station	Description	Eurovac Part No.
	Double PVC Detail Work Station Includes: • Wall or Hanging Drop with 30' PVC pipe, bends & fittings • Micro Switch Inlets or Continuous Run as per system • Includes rise clamp and hose hanger • Must add header pipe upgrade below • Based on 18' ceiling height • NOT INCLUDED: Hose/Holster/Claw	SYS-050-22530
Extra Pipe w/fittings - per ft.	Description	Eurovac Part No.
	Extra Pipe w/ fittings - per ft.	SYS-030-400P
Header PVC Pipe Upgrade	Description	Eurovac Part No.
	Header PVC Pipe for Eurovac I & II Systems	SYS-030-421P
	Header PVC Pipe for 15-25HP	SYS-030-422P
	Header PVC Pipe for 30HP	SYS-030-423P
	Header PVC Pipe for 40-75HP	SYS-030-424P

Work Station Upgrades	Description	Eurovac Part No.
	Upgrade To All 45deg Elbows & YL's (No 90 Degree Bends) - per drop	UPG-45EL
	Upgrade To Long Radius PVC Fittings - per drop	UPG-LRPVC
	Automatic Water Flushing System w/ Vacuum Bleed Valve (Typically used on extractor line - flushes extra water down header pipe, to reduce material build up) <ul style="list-style-type: none"> Includes control panel upgrade with low voltage wire for running from the panel to the end of the header pipe. Includes 1/2" water valve (24v solenoid), 2" pneumatic slide gate (24vdc solenoid & 90psi air required), 1/4" regulator/bracket & all necessary fittings The valve will open for a duration that will allow no more than 5 gallons of water to release into the vacuum lines 	UPG-FLUSHING
	2nd Vacuum Line Tied Into Flushing System <ul style="list-style-type: none"> Includes control panel upgrade with low voltage wire for running from the panel to the end of the header pipe. Includes 1/2" water valve (24v solenoid), 2" pneumatic slide gate (24vdc solenoid & 90psi air required), 1/4" regulator/bracket & all necessary fittings The valve will open for a duration that will allow no more than 5 gallons of water to release into the vacuum lines 	UPG-FLUSHING
Exhaust Ducting	Description	Eurovac Part No.
	4" Exhaust Duct Package (20' for wall or roof) - 5HP to 10HP <ul style="list-style-type: none"> SAME PRICE TO GO WITH 4" RAIN CAP (MPF-RCS-040) 	SYS-EXH-EI0005010
	5" Exhaust Duct Package (20' for wall or roof) - 15 to 25HP <ul style="list-style-type: none"> SAME PRICE TO GO WITH 5" RAIN CAP (MPF-RCS-050) 	SYS-EXH-EI115025
	6" Exhaust Duct Package (20' for wall or roof) - 25 to 30HP <ul style="list-style-type: none"> SAME PRICE TO GO WITH 6" RAIN CAP (MPF-RCS-060) 	SYS-EXH-EI1125030
	8" Exhaust Duct Package (20' for wall or roof) - 40 to 75HP <ul style="list-style-type: none"> SAME PRICE TO GO WITH 8" RAIN CAP (MPF-RCS-080) 	SYS-EXH-EI1140075

Toggle Switch Stations (For EI & EII Systems)

	Eurovac Part No.	Description
		1 Button Start Station With Delayed Shut Off <ul style="list-style-type: none"> 24VAC control voltage Nema 4 (can be located outdoors) Push button to turn on vacuum system and timer begins After set time, vacuum shuts off (standard set point is 15 minutes of run time) The run timer has a max setting of 3 hours
		Dealership Water Tight Toggle Switch - Hanging 24v
		Dealership Water Tight Toggle Switch - Wall 24v

Vacuum Hose with Holster/Hanger Combo Kits

Hose Hanger, Hose, & Claw	Description	<i>Eurovac Part No.</i>
	Chrome Hose Hanger with 1 1/2" x 17' Hose & Claw	SYS-050-522N0000
	Chrome Hose Hanger with 1 1/2" x 25' Hose & Claw	SYS-050-523N0000
Claw Holster, Hose, & Claw	Description	<i>Eurovac Part No.</i>
	Vac Holster with 17' Hose & Claw	SYS-050-52201070
	Vac Holster with 25' Hose & Claw	SYS-050-52300050
Holster, Hose, & Crevice Tool	Description	<i>Eurovac Part No.</i>
	Vac Holster with 17' Hose & Crevice Tool	SYS-050-52601070
	Vac Holster with 25' Hose & Crevice Tool	SYS-050-52700050
Hose Hanger, Hose, & Heated Dispensing Claw	Description	<i>Eurovac Part No.</i>
<p>no picture available</p>	Chrome Hose Hanger with 17' Hose & Stainless Steel Dispensing Claw	SYS-050-522N27S
	Chrome Hose Hanger with 25' Hose & Stainless Steel Dispensing Claw	SYS-050-523N27S
Claw Holster, Hose, & Heated Dispensing Claw	Description	<i>Eurovac Part No.</i>
	Vac Holster with 17' Hose & Stainless Steel Dispensing Claw	SYS-050-522027S
	Vac Holster with 25' Hose & Stainless Steel Dispensing Claw	SYS-050-523027S

Chemical Dispensing Pendant Drops



Includes:

- 30' of pipe, bends & fittings
- 30' of PVC chaser
- 30' of necessary chem lines and fittings.
- 1 airline with blow gun.
- 4 to 8 chem application guns
- 1 - vacuum hose with cleaning tool

Double the above amount for double sided drops.

<p>Detail Pendant Drop Work Stations (Flush Mount Pendants Are Same Price)</p>	<p>Single Detail Pendant Drop - 4 Chemical Lines (or air) Breakdown:</p> <ul style="list-style-type: none"> • Pendant, 4 Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Four Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) 	<p>SYS-030-6104CHEM</p>
	<p>Single Detail Pendant Drop - 5 Chemical Lines (or air) Breakdown:</p> <ul style="list-style-type: none"> • Pendant, 5 Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Five Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) 	<p>SYS-030-6105CHEM</p>
	<p>Single Detail Pendant Drop - 6 Chemical Lines (or air) Breakdown:</p> <ul style="list-style-type: none"> • Pendant, 6 Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Six Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) • 225 LBS (weight includes chaser & collar) • 260 LBS W/ HEATED EXT (weight includes chaser & collar) 	<p>SYS-030-6106CHEM</p>
	<p>Single Detail Pendant Drop - 8 Chemical Lines (or air) Breakdown:</p> <ul style="list-style-type: none"> • Pendant, 8 Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Eight Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) 	<p>SYS-030-6108CHEM</p>
	<p>Single Detail Pendant Drop - 9 Chemical Lines (or air) Breakdown:</p> <ul style="list-style-type: none"> • Pendant, 9 Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Eight Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) 	<p>SYS-030-6109CHEM</p>

Double Detail Pendant Drop Work Stations	Double Sided Pendant Drop - 4 Chemical Lines (or air) Breakdown: <ul style="list-style-type: none"> • Pendant, 8 Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Four Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) 	SYS-030-6124CHEM
	Double Sided Pendant Drop - 5 Chemical Lines (or air) Breakdown: <ul style="list-style-type: none"> • Pendant, 10 Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Five Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) 	SYS-030-6125CHEM
	Double Sided Pendant Drop - 6 Chemical Lines (or air) Breakdown: <ul style="list-style-type: none"> • Pendant, 12 Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Six Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) • 250 LBS (weight includes chaser & collar) • 285 LBS W/ HEATED EXT (weight includes chaser & collar) 	SYS-030-6126CHEM
	Double Sided Pendant Drop - 8 Chemical Lines (or air) Breakdown: <ul style="list-style-type: none"> • Pendant, 16 Chem Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Eight Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) 	SYS-030-6128CHEM
	Double Sided Pendant Drop - 9 Chemical Lines (or air) Breakdown: <ul style="list-style-type: none"> • Pendant, 18 Chem Coiled Lines(25')/Guns, Chaser, 2 Comp Cplgs, Collar • 30' of Eight Chem Lines & Fittings • 30' of Vac Tube, Bends & Fittings • Hose/Holster/Claw & Crevice Tool • 3" PVC Chaser • Unistrut For Spanning Beams (Drop Mounting) 	SYS-030-6129CHEM

Optional Upgrades For Chemical Dispensing Pendant Drops	Description	Eurovac Part No.
	<p>DRY LINE INTERCEPTOR UPGRADE:</p> <ul style="list-style-type: none"> ● 10" Interceptor (for dry line) Incorporated Into Pendant Drop <p>Includes:</p> <ul style="list-style-type: none"> ● Extra Chaser ● Cross Bracing 	UPG-10INT
	<p>EXTRACTOR UPGRADE:</p> <ul style="list-style-type: none"> ● Upgrade From 25' Coiled Line <p>TO</p> <ul style="list-style-type: none"> ● Vac Holster, 17' Hose & Dispensing Claw & Extra Single PVC Work Station (OR Mobile Interceptor Below Drop) 	UPG-17EXT
	<p>110v ELECTRICAL OUTLET UPGRADE:</p> <ul style="list-style-type: none"> ● Liquid Tight ● Includes GFCI (Ground Fault Circuit Interruption) ● Include Cable To Top Of Pendant (to be tied in by customer) 	UPG-110VELEC
	<p>THICKER PRODUCT UPGRADE - SINGLE DROP:</p> <ul style="list-style-type: none"> ● Upgrade From 3/8" Tubing (30' Approx), 25' Coiled Line, Kingston Valve and Tip <p>TO</p> <ul style="list-style-type: none"> ● 3/4" Tubing (30' Approx), 25' DOUBLE Coiled Line, Pendant Mounted Regulator and Binks Spray Gun (includes mounting bracket) <p>Thicker Product Examples:</p> <ul style="list-style-type: none"> - Waxes (For Sealant & Car Protection) - Polishes (For High Luster & Shine) - Compounds (For Paint, Scratches, Grime, Oxidation, Acid Rain) <ul style="list-style-type: none"> ● Thicker products being atomized will require larger pump (see dispensing system pricing for pump upgrades). 	UPG-TH1SGL
	<p>THICKER PRODUCT UPGRADE - DOUBLE DROP:</p> <ul style="list-style-type: none"> ● Upgrade From 3/8" Tubing (30' Approx), QTY 2 - 25' Coiled Lines, Kingston Valves and Tips <p>TO</p> <ul style="list-style-type: none"> ● 3/4" Tubing (30' Approx), QTY 2 - 25' DOUBLE Coiled Lines, Pendant Mounted Regulator and Binks Spray Guns (includes mounting bracket) <ul style="list-style-type: none"> ● Thicker products being atomized will require larger pump (see dispensing system pricing for pump upgrades). 	UPG-TH2DBL
	<p>40' COILED LINE UPGRADE - 6 CHEM SINGLE DROP:</p> <ul style="list-style-type: none"> ● Upgrade From 25' Coiled Lines <p>TO</p> <ul style="list-style-type: none"> ● 40' Coiled Lines <p>40' COILED LINE UPGRADE - 8 CHEM SINGLE DROP:</p> <ul style="list-style-type: none"> ● Upgrade From 25' Coiled Lines <p>TO</p> <ul style="list-style-type: none"> ● 40' Coiled Lines 	UPG-40256 UPG-40258

Chemical Dispensing Brackets



Includes:

- 30' of PVC chaser
- 30' of necessary chem lines and fittings.
- 2 or 8 chem application guns



Wall Angle Brackets	<p>Single Dispensing Bracket For 1 Chemical Line (or air):</p> <ul style="list-style-type: none"> • Bracket, 1 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of One Chem Line & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020-AB010000
	<p>Single Dispensing Bracket For 2 Chemical Line (or air):</p> <ul style="list-style-type: none"> • Bracket, 2 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Two Chem Lines & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020-AB020000
	<p>Single Dispensing Bracket For 3 Chemical Line (or air):</p> <ul style="list-style-type: none"> • Bracket, 3 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Three Chem Lines & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020-AB030000
	<p>Single Dispensing Bracket For 4 Chemical Line (or air):</p> <ul style="list-style-type: none"> • Bracket, 4 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Four Chem Lines & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020-AB040000
	<p>Single Dispensing Bracket For 5 Chemical Line (or air):</p> <ul style="list-style-type: none"> • Bracket, 5 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Five Chem Lines & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020-AB050000
	<p>Single Dispensing Bracket For 6 Chemical Line (or air):</p> <ul style="list-style-type: none"> • Bracket, 6 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Six Chem Lines & Fittings • 3" Galv Chaser, 3 Comp Cplgs, Collar • 30' of 3" PVC Chaser 	SYS-020-AB060000
	<p>Single Dispensing Bracket For 7 Chemical Line (or air):</p> <ul style="list-style-type: none"> • Bracket, 7 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Seven Chem Lines & Fittings • 3" Galv Chaser, 3 Comp Cplgs, Collar • 30' of 3" PVC Chaser 	SYS-020-AB070000
	<p>Single Dispensing Bracket For 8 Chemical Line (or air):</p> <ul style="list-style-type: none"> • Bracket, 8 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Eight Chem Lines & Fittings • 3" Galv Chaser, 3 Comp Cplgs, Collar • 30' of 3" PVC Chaser 	SYS-020-AB080000

Double Wall Angle Brackets	Double Dispensing Bracket For 1 Chemical Line (or air): <ul style="list-style-type: none"> • Bracket, 2 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of One Chem Line & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020- ABD10000
	Double Dispensing Bracket For 2 Chemical Line (or air): <ul style="list-style-type: none"> • Bracket, 4 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Two Chem Lines & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020- ABD20000
	Double Dispensing Bracket For 3 Chemical Line (or air): <ul style="list-style-type: none"> • Bracket, 6 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Three Chem Lines & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020- ABD30000
	Double Dispensing Bracket For 4 Chemical Line (or air): <ul style="list-style-type: none"> • Bracket, 8 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Four Chem Lines & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020- ABD40000
	Double Dispensing Bracket For 5 Chemical Line (or air): <ul style="list-style-type: none"> • Bracket, 10 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Five Chem Lines & Fittings • 2" Galv Chaser, 2 Comp Cplgs, Collar • 30' of 2" PVC Chaser 	SYS-020- ABD50000
	Double Dispensing Bracket For 6 Chemical Line (or air): <ul style="list-style-type: none"> • Bracket, 12 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Six Chem Lines & Fittings • 3" Galv Chaser, 3 Comp Cplgs, Collar • 30' of 3" PVC Chaser 	SYS-020- ABD60000
	Double Dispensing Bracket For 7 Chemical Line (or air): <ul style="list-style-type: none"> • Bracket, 14 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Seven Chem Lines & Fittings • 3" Galv Chaser, 3 Comp Cplgs, Collar • 30' of 3" PVC Chaser 	SYS-020- ABD70000
	Double Dispensing Bracket For 8 Chemical Line (or air): <ul style="list-style-type: none"> • Bracket, 16 Coiled Line(25')/Gun (bracket with chaser or flush mount) • 30' of Eight Chem Lines & Fittings • 3" Galv Chaser, 3 Comp Cplgs, Collar • 30' of 3" PVC Chaser 	SYS-020- ABD80000


Stainless Steel Bracket Upgrade

	Description	Eurovac Part No.
	UPGRADE - Stainless Steel Dispensing Bracket For 1 Chemical Line (or air)	UPG-AB0100SS
	UPGRADE - Stainless Steel Dispensing Bracket For 2 Chemical Lines (or air)	SYS-020-AB0200SS
	UPGRADE - Stainless Steel Dispensing Bracket For 3 Chemical Lines (or air)	SYS-020-AB0300SS
	UPGRADE - Stainless Steel Dispensing Bracket For 4 Chemical Lines (or air)	SYS-020-AB0400SS
	UPGRADE - Stainless Steel Dispensing Bracket For 5 Chemical Line (or air)	SYS-020-AB0500SS
	UPGRADE - Stainless Steel Dispensing Bracket For 6 Chemical Line (or air)	SYS-020-AB0600SS
	UPGRADE - Stainless Steel Dispensing Bracket For 7 Chemical Line (or air)	SYS-020-AB0700SS
	UPGRADE - Stainless Steel Dispensing Bracket For 8 Chemical Lines (or air)	SYS-020-AB0800SS



Central Hot Rug Shampoo Dispensing Work Stations

Pendant Hot Rug Shampoo Extractor/Vacuum Work Stations	Description	Eurovac Part No.
	Vacuum Claw & Extractor Claw Pendant Drop Breakdown: Pendant, 2 Chasers, 4 Comp Cplgs, 2 Collars 30' of Feed/Return Chem Lines, Fittings & Insulation 60' of Vac Tube, Bends & Fittings (Wet & Dry Line) **Or Mobile Interceptor Below Drop Hose/Holster/Claw Hose/Holster/Claw	SYS-030-6101V1E0
Hot Rug Shampoo Extractor Workstations	Description	Eurovac Part No.
	Single Extractor Work Station Includes: 30' extractor line <i>Need to add single or double Vacuum Workstation for PVC</i>	SYS-SUB-EXSINGLE
	Double Extractor Work Station Includes: 30' extractor line <i>Need to add single or double Vacuum Workstation for PVC</i>	SYS-SUB-EXDOUBLE
Extra Extractor Line w/fittings - per ft	Description	Eurovac Part No.
	Extra Extractor Line w/ fittings - per ft.	





Curtains

Curtains	Description	Eurovac Part No.
	14'W x 10'H Retractable Curtain <ul style="list-style-type: none"> For protecting equipment against overspray, if equipment is located at the back of a detail/wash bay. Includes all necessary installation material Includes 10' pull rope to facilitate movement 	SYS-103-C1400010
	25'L x 14'W x 10'H Retractable Curtain <ul style="list-style-type: none"> For curtaining off a detail/wash bay that has a side and back wall. Includes all necessary installation material Includes 10' pull rope to facilitate movement 	SYS-103-C1425010
	25'L(x2) x 14'W x 10'H Retractable Curtain <ul style="list-style-type: none"> For curtaining off a detail/wash bay that has just a back wall. Includes all necessary installation material Includes 10' pull rope to facilitate movement 	SYS-103-C1425210

Color Selection Options

	Standard Colors: <ul style="list-style-type: none"> • Blue, White & Black are Eurovac's standard colors • Eurovac has standards as far as the color we use for different products (ie: our blowers and separators are naturally white). However; upon request, you can change within these three colors without any upcharge. 	
Color Change Options	Description	Eurovac Part No.
	Color Change Set Up Fee <ul style="list-style-type: none"> • Eurovac has a good range of different colors available which we do not run everyday • Ask your sales representative to send you the current list of in house color options 	UPG-COLOR
	Custom Color Change Fee <ul style="list-style-type: none"> • Eurovac will paint equipment to a specific requested color. • We will require a paint chip or color code to ensure as close a match as possible 	UPG-CUSTOCOL


Miscellaneous Items for Workstations & Pendant Drops

Squeeze Bottle Rack	Description	Eurovac Part No.
	Squeeze Bottle Rack (For 3 Bottles)	SYS-020-SB300000
Stainless Steel Refilling Station	Description	Eurovac Part No.
	3 Chemical Stainless Steel Refilling Station	SYS-020-CRS3CHEM
	4 Chemical Stainless Steel Refilling Station	SYS-020-CRS4CHEM
	5 Chemical Stainless Steel Refilling Station	SYS-020-CRS5CHEM
	6 Chemical Stainless Steel Refilling Station	SYS-020-CRS6CHEM
	7 Chemical Stainless Steel Refilling Station	SYS-020-CRS7CHEM
Drop Support Post <i>For securely fastening a drop to a fixed post. *Price includes post only.</i>	Description	Eurovac Part No.
	2"x 96"L Drop Support Post-Safety Yellow	MSH-DSP-168SY003
	Floor Mnt Support Post For Pendant Drop	SYS-030-610P0000




Floor Dispensing Wand

Floor Dispensing Wand	Description	Eurovac Part No.
	1-1/2" Wand 304 Stainless Steel with Squeegee	CLE-JBD-W1561120




Balancers



Hose Balancer	Description	Eurovac Part No.
	Hose Balancer with ratchet lock , Bracket & Saddle	SYS-050-5220122

Cleaning Accessories Kits:

Vehicle Cleaning Package	Description	Eurovac Part No.
	Vehicle Cleaning Package: Plastic tools and R Hose Includes: -1 1/2" x 25' Utility Hose -4 1/2" Claw Tool -11" Crevice Tool -5" Upholstery tool	SYS-050-5200000
Vehicle Cleaning Accessories	Description	Eurovac Part No.
	Vehicle Cleaning Accessories (no hose) Includes: -4 1/2" Claw Tool -11" Crevice Tool -5" Upholstery tool	SYS-050-5210000
Cleaning Tool Rack	Description	Eurovac Part No.
 Tools not included	White Hose & Cleaning Tool Wall Mount Rack	CLE-JBD-IT20B000


Mobile/Inline Wet & Dry Material Separators:

PVC Interceptor	Description	Eurovac Part No.
	10" Single PVC Interceptor	SYS-050-PI081212
	10" Double PVC Interceptor	SYS-050-PI082212
Powder Coat Interceptor	Description	Eurovac Part No.
	12" Single Powder Coated Interceptor	SYS-030-85003000
	12" Double Powder Coated Interceptor	SYS-030-850D3000
	Stainless Steel	
	12" Single <u>Stainless Steel</u> Powder Coated Interceptor	SYS-030-850030SS
	12" Double <u>Stainless Steel</u> Powder Coated Interceptor	SYS-030-85003DSS
	Support Structure From Beams - For Interceptor	SYS-030-85003INT



Mobile Wet/Dry Separator	Description	Eurovac Part No.
	Mobile Wet Pick-up with 10' Hose	SYS-050-54500000
Inline Wet/Dry Separator	Description	Eurovac Part No.
	18" Stainless Steel Wet Separator <ul style="list-style-type: none"> ● Typical Application: 2.5HP Central System or Inline With One Or Two Detail Drops ● 2" Inlet/Outlet 	SYS-050-54810000
	18" Stainless Steel Wet Separator <ul style="list-style-type: none"> ● Typical Application: 5HP, 7HP & 10HP Central System or Inline With Three Or Four Detail Drops ● 3" Inlet/Outlet 	SYS-050-54810100
	18" Stainless Steel Wet Separator <ul style="list-style-type: none"> ● Typical Application: 15HP & 20HP Central System or Inline With Five To Seven Detail Drops ● 4" Inlet/Outlet 	SYS-050-54810100
Inline Cyclonic Wet/Dry Separator	Description	Eurovac Part No.
	15" Cyclonic Wet Separator <ul style="list-style-type: none"> ● Typical Application: 25HP Central System (or greater efficiency with 15HP & 20HP) ● 18" stainless steel canister ● 6" discharge ● Must specify wall mount or legs 	SYS-030-853WS000
	18" Cyclonic Wet Separator <ul style="list-style-type: none"> ● Typical Application: 30HP Central System ● 18" stainless steel canister ● 8" discharge ● Must specify wall mount or legs 	SYS-030-854WSL00
	24" Stainless Steel Cyclonic Separator w/ Strain Basket & Automatic Drain Valve	SYS-030-856SS000

Pipe, bends and fittings between sep & cyclone	Description	<i>Eurovac Part No.</i>
	Pipe, Bends & Fittings Between Sep & Cyclone	

Chemical Dispensing Starter Package

Chemical Dispensing Starter Package	Description	<i>Eurovac Part No.</i>
 <p>Chemical starter package includes the following options:</p> <ul style="list-style-type: none"> ● Plastic Leather & Vinyl Cleaner <ul style="list-style-type: none"> ● Engine Cleaner <ul style="list-style-type: none"> ● Car Wax ● Glass Cleaner ● Heated Extractor <ul style="list-style-type: none"> ● Tire Dressing ● Stain Remover ● Wheel Cleaner ● Bug Remover ● Pre-Treatment ● Car Wash Soap 	Chemical Starter Package (5 Gallon) - 1 Chem	SYS-020-CDSP1000
	Chemical Starter Package (5 Gallon) - 2 Chems	SYS-020-CDSP2000
	Chemical Starter Package (5 Gallon) - 3 Chems	SYS-020-CDSP3000
	Chemical Starter Package (5 Gallon) - 4 Chems	SYS-020-CDSP4000
	Chemical Starter Package (5 Gallon) - 5 Chems	SYS-020-CDSP5000
	Chemical Starter Package (5 Gallon) - 6 Chems	SYS-020-CDSP6000
	Chemical Starter Package (5 Gallon) - 7 Chems	SYS-020-CDSP7000
	Chemical Starter Package (5 Gallon) - 8 Chems	SYS-020-CDSP8000

Water Softener

Water Softener	Description	<i>Eurovac Part No.</i>
	34K Metered Deluxe Water Softener-Cabinet Style <ul style="list-style-type: none"> ● Includes 45lbs bag of salt 	SYS-020-WS34BFJP
Mat Clamp	Description	<i>Eurovac Part No.</i>
	Stainless Steel Mat Clamp with Urethane Grip	CLE-HAM-825SD000