


Nylon & Polyurethane Flex Tube

	Description	Eurovac Part No.
	3/8"OD Red Nylon 12 Tubing 100' Reel - per ft.	HOS-TN6-C121000J
	3/8"OD Blue Nylon 12 Tubing 100' Reel - per ft.	HOS-TN6-D121000J
	3/8"OD Yellow Nylon 12 Tubing 100' Reel - per ft.	HOS-TN6-F121000J
	3/8"OD Orange Nylon 12 Tubing 100' Reel - per ft.	HOS-TN6-G121000J
	3/8"OD Green Nylon 12 Tubing 100' Reel - per ft.	HOS-TN6-E121000J
	3/8"OD Grey Nylon 12 Tubing 100' Reel - per ft.	HOS-TN6-H121000J
	3/8"OD Natural Nylon 12 Tubing 100' Reel - per ft.	HOS-TN6-A121000J
	3/8"OD Black Nylon 12 Tubing 100' Reel - per ft. (Air)	HOS-TN6-B121000J
	1/2"OD Natural Nylon 12 Tubing 100' Reel - per ft.	HOS-TN6-A161000J
For Hoses		
	Twin Bonded 1/4" OD Blue/Red Polyurethane Tubing - per ft.	HOS-TPU-J102000J
For Thicker Products (ie: Waxes)		
	3/4"ID Clear Reinforced PVC	HOS-TN6-CRPVC075

Coiled Chem Hose

(25' Length)	Description	Eurovac Part No.
<p>Max Length Stretched Out is 23'</p>	3/8" OD x 25' Red Polyurethane Coiled Hose (1st Chem)	HOS-TPU-C121100D
	3/8" OD x 25' Blue Polyurethane Coiled Hose (2nd Chem)	HOS-TPU-D121100D
	3/8" OD x 25' Yellow Polyurethane Coiled Hose (3rd Chem)	HOS-TPU-F121100D
	3/8" OD x 25' Orange Polyurethane Coiled Hose (4th Chem)	HOS-TPU-G121100D
	3/8" OD x 25' Green Polyurethane Coiled Hose (5th Chem)	HOS-TPU-E121100D
	3/8" OD x 25' Black Polyurethane Coiled Hose (6th Chem or Air)	HOS-TPU-B121100D
	3/8" OD x 25' Grey Polyurethane Coiled Hose (7th Chem)	HOS-TPU-H121100D
	3/8" OD x 25' White Polyurethane Coiled Hose (8th Chem)	HOS-TPU-I121100D
	3/8" OD x 25' Black Polyurethane Coiled Hose (Air)	HOS-TPU-B121100D
(40' Length)		
	3/8"OD x 40' Red Polyurethane Coiled Hose (1st Chem)	HOS-TPU-C121100F
	3/8"OD x 40' Blue Polyurethane Coiled Hose (2nd Chem)	HOS-TPU-D121100F
	3/8"OD x 40' Yellow Polyurethane Coiled Hose (3rd Chem)	HOS-TPU-F121100F
	3/8"OD x 40' Orange Polyurethane Coiled Hose (4th Chem)	HOS-TPU-G121100F
	3/8"OD x 40' Black Polyurethane Coiled Hose (5th Chem)	HOS-TPU-B121100F
	3/8"OD x 40' Green Polyurethane Coiled Hose (6th Chem)	HOS-TPU-E121100F
	3/8"OD x 40' Grey Polyurethane Coiled Hose (7th Chem)	HOS-TPU-H121100F
	3/8"OD x 40' White Polyurethane Coiled Hose (Air)	HOS-TPU-I121100F





Double Coiled Chem Hose


(35' Length)	Description	Eurovac Part No.
	3/8"OD x 35' Twin Bonded MCR Coil Blue/Black	HOS-TPW-M35970BB
	3/8"OD x 35' Twin Bonded MCR Coil Red/Black	HOS-TPW-M35970RB




Dispensing & Compressed Air Guns

Brass Dispensing Guns	Description	Eurovac Part No.
	Brass Dispensing Valve: <ul style="list-style-type: none"> ● Ethylene Polypropylene Seals. ● (Buna, Seals Available Up Request) ● Inlet/Outlet - 1/4" Female Pipe Thread ● Stamp Code On Valve: 4E42B 	HOS-BLG-2542EE3B
	Brass Dispensing Valve: <ul style="list-style-type: none"> ● Viton Seals. ● (Buna Seals Available Up Request) ● Inlet/Outlet - 1/4" Female Pipe Thread ● Stamp Code On Valve: 4FF42-B 	HOS-BLG-2542FF3B
	Brass Dispensing Valve: <ul style="list-style-type: none"> ● Teflon Disc with Ethylene Propylene O-Ring ● (Buna Seals Available Up Request) ● Inlet/Outlet - 1/4" Female Pipe Thread ● O-Ring NOT available in Teflon 	HOS-BLG-2582ET18
Replacement Brass Gun Kits	Description	Eurovac Part No.
	Viton Seal Replacement Kit For Dispensing Valve Includes: <ul style="list-style-type: none"> ● Stem & Screw ● Brass Disc Cage ● Viton Disc ● Viton O-Ring 	HOS-BLG-2542FF34
	Teflon Seal Replacement Kit For Dispensing Valve Includes: <ul style="list-style-type: none"> ● Stem & Screw ● Disk Cage ● Teflon Disc ● Viton O-Ring (O-Ring not available in Teflon) <p>Teflon can have difficulty sealing and so the gun is over tightened and can be stiff. However; it is extremely friendly with almost all chemicals. Use if nothing else is working</p>	HOS-BLG-252ATF20
O-Ring Only For Brass Dispensing Guns	Description	Eurovac Part No.
	Viton O-Ring For Dispensing Valve	HOS-BLG-KC600FPM
	Viton Disc For Dispensing Valve	HOS-BLG-KC101FPM



Plastic Dispensing Guns	Description	Eurovac Part No.
	Plastic Spray Gun, 1/4" Trigger Jet Gun Only: <ul style="list-style-type: none"> ● Corrosion Resistant All-plastic (polypropylene) Spray Gun ● Durable Viton Seal (Diaphragm) ● Trigger Lock - Permits locking of valve in the open position for continuous flow. ● Inlet - 1/4" Female Pipe Thread ● Requires HOS-BLG-5500PPBX Adjustable Conejet Spray Tip 	HOS-BLG-22650PP1
	Adjustable Conejet Spray Tip For #22650-PP-1/4	HOS-BLG-5500PPBX
Stainless Steel Dispensing Guns	Description	Eurovac Part No.
	Stainless Steel Spray Gun, 1/4" Trigger Jet Gun Only: <ul style="list-style-type: none"> ● 303 stainless steel w/nylon valve seat & Viton O-ring seal assembled together to offer a versatile valve. ● Rated to 150 PSI / 7 GPM / 160 deg F ● Inlet - 1/4" Female Pipe Thread 	HOS-BLG-AA3614SS
Spray Guns For Atomizing (with air)	Description	Eurovac Part No.
	Binks 2100 Series Gun w/ 63B Fluid Nozzle <ul style="list-style-type: none"> ● Used with double coiled chem lines (chem & air) ● <u>Atomize Definition:</u> Converting (a substance) into a very fine particle ● <u>Typical Application:</u> Dispensing of thick chemicals 	HOS-TPW-2100BINK
	Binks 2100 Repair Kit	HOS-TPW-62290000
Dispensing Taps	Description	Eurovac Part No.
	Dispensing Tap - 1/4" NPT	HOS-CON-14BVR0MA
Compressed Air Gun	Description	Eurovac Part No.
	Compressed Air Blow Gun - Chrome Perma Tip	HOS-BLG-G1CFS000
	Compressed Air Blow Gun - Chrome w/ Plastic Safety Boost	HOS-BLG-G1CPBS00

Valve Tips (Brass, PVC, Stainless Steel)		
Brass	Description	Eurovac Part No.
	Brass 1/4" MPT V-Jet 80 Degree .026 Orifice ● THIS IS OUR STANDARD TIP ● .10 GPM @ 40PSI	CLE-JBD-H5080010
	Brass 1/4" MPT V-Jet 80 Degree .036 Orifice .20 GPM @ 40PSI	● CLE-JBD-H5080020
	Brass 1/4" MPT V-Jet 80 Degree .057 Orifice .50 GPM @ 40PSI	● CLE-JBD-H5080050
PVC		
	** 8001 (.026 Orifice) Not Available in PVC **	
	PVC 1/4" MPT V-Jet 50 degree (Dark Blue) .036 Orifice	CLE-JBD-H505002C
	PVC 1/4" MPT V-Jet 80 degree (Light Green) .036 Orifice .20 GPM @ 40PSI	● CLE-JBD-H508002C
	PVC 1/4" MPT V-Jet 110 degree (Light Blue) .036 Orifice	CLE-JBD-H511002C
Stainless Steel		
	Stainless Steel 1/4" MPT V-Jet 80 degree .026 Orifice .10 GPM @ 40PSI	● CLE-JBD-H508001S
Extractor Dispensing Tool Tips		
	Description	Eurovac Part No.
	ORANGE 1/4" QW-Jet 80 degree .026" orifice w/O-Ring ● .10 GPM @ 40PSI	CLE-JBD-H5380010
	YELLOW 1/4" QW-Jet 80 degree .036" orifice w/O-Ring THIS IS OUR STANDARD TIP	● CLE-JBD-A4280020
	RED 1/4" QW-Jet 80 degree .052" orifice w/O-Ring .40 GPM @ 40PSI	● CLE-JBD-H5380040
	WHITE 1/4" QW-Jet 80 degree .072" orifice w/O-Ring ● .80 GPM @ 40PSI	CLE-JBD-H5380080

Electric Heater	** Assume Incoming Water Temp of 50 Deg **	
Electric Heater	Description	Eurovac Part No.
	7KW Commercial Heater • 50 Degree Temp Rise @ 1 GPM • 60 Degree Temp Rise @ .81 GPM • 70 Degree Temp Rise @ .68 GPM (3 Techs) • 80 Degree Temp Rise @ .59 GPM • 90 Degree Temp Rise @ .53 GPM (2 Techs)	SYS-020-SEICA070
	9KW Commercial Heater • 50 Degree Temp Rise @ 1.2 GPM • 60 Degree Temp Rise @ 1.0 GPM • 70 Degree Temp Rise @ .88 GPM (4 Techs) • 80 Degree Temp Rise @ .77 GPM • 90 Degree Temp Rise @ .68 GPM (3 Techs)	SYS-020-SEICA090
	11KW Commercial Heater • 50 Degree Temp Rise @ 1.5 GPM • 60 Degree Temp Rise @ 1.3 GPM • 70 Degree Temp Rise @ 1.1 GPM (5 Techs) • 80 Degree Temp Rise @ .94 GPM • 90 Degree Temp Rise @ .84 GPM (4 Techs)	SYS-020-SEICA110
	14KW Commercial Heater • 50 Degree Temp Rise @ 1.9 GPM • 60 Degree Temp Rise @ 1.6 GPM • 70 Degree Temp Rise @ 1.4 GPM (7 Techs) • 80 Degree Temp Rise @ 1.2 GPM • 90 Degree Temp Rise @ 1.0 GPM (5 Techs)	SYS-020-SEICA140
	18KW Commercial Heater • 50 Degree Temp Rise @ 2.5 GPM • 60 Degree Temp Rise @ 2.0 GPM • 70 Degree Temp Rise @ 1.8 GPM (9 Techs) • 80 Degree Temp Rise @ 1.5 GPM • 90 Degree Temp Rise @ 1.4 GPM (7 Techs)	SYS-020-SEICA180
	22KW Commercial Heater • 50 Degree Temp Rise @ 3.0 GPM • 60 Degree Temp Rise @ 2.5 GPM • 70 Degree Temp Rise @ 2.1 GPM (10 Techs) • 80 Degree Temp Rise @ 1.9 GPM • 90 Degree Temp Rise @ 1.7 GPM (8 Techs)	SYS-020-SEICA220
	28KW Commercial Heater (Large Auto Auctions) • 50 Degree Temp Rise @ 3.8 GPM • 60 Degree Temp Rise @ 3.2 GPM • 70 Degree Temp Rise @ 2.7 GPM (13 Techs) • 80 Degree Temp Rise @ 2.4 GPM • 90 Degree Temp Rise @ 2.1 GPM (10 Techs)	SYS-020-SEICA280

Pumps		
FLOJET	Description	Eurovac Part No.
	<p>FLOJET 1/4" Air Diaphragm Pump</p> <ul style="list-style-type: none"> • Duplex diaphragm design with automatic demand control • Chemical resistant polypropylene pump housing • Patented shuttle valve eliminates stalling • Air Inlet & Outlet - 1/4" Hose Barb • Fluid Inlet & Outlet - 3/8" Hose Barb Standard (1/2" John Guest Push Lock Available) • Fluid Outlet - 1/4" NPT • Maximum 100PSI Working Pressure • Typically set at approx 45 to 50PSI • Flow rate: 5 GPM • Max CFM: 2.1 @ 100PSI • Recommended usage: water based products 	
	<p>FLOJET Santoprene Diaphragm Pump</p> <ul style="list-style-type: none"> • Best selection for wax and wash solutions not containing acid 	HOS-SIM-G575205A
	<p>Aro 1/4" Viton Diaphragm Pump</p> <ul style="list-style-type: none"> • Best selection for products containing acid 	HOS-SIM-G573205A
	<p>Aro 1/4" Kalrez Diaphragm Pump</p> <ul style="list-style-type: none"> • Best selection for to ensure chemical compatibility across the board - recommended 	HOS-SIM-G57KV000
ARO	Description	Eurovac Part No.
	<p>Aro 1/4" Air Diaphragm Pump</p> <ul style="list-style-type: none"> • Compact design • Low maintenance • Polypropylene pump construction <p>Air Inlet - 1/4" FPT</p> <ul style="list-style-type: none"> • Fluid Inlet - 3/8" NPT • Fluid Outlet - 1/4" NPT • Maximum 100PSI • Flow rate: 4.6 GPM • Recommended usage: water based products 	
	<p>Aro 1/4" Santoprene Diaphragm Pump</p> <ul style="list-style-type: none"> • Best selection for wax and wash solutions not containing acid 	HOS-ARO-PD02PPTA
	<p>Aro 1/4" Teflon Diaphragm Pump</p> <ul style="list-style-type: none"> • Best selection for products containing acid 	HOS-ARO-PD02PPTT
	<p>Aro 1/2" Air Diaphragm Pump</p> <ul style="list-style-type: none"> • Maximum flow rates - achieved at 100PSI inlet pressure - high-volume transfer can be achieved at much lower air inlet pressure • Twin-diaphragm design with reciprocating pump action assures smooth, continuous delivery with minimal pulse • Polypropylene pump construction <p>Air Inlet - 1/4"</p> <p>Fluid Inlet & Outlet - 1/2"</p> <p>Maximum 100PSI</p> <p>Flow rate: 13 GPM</p> <ul style="list-style-type: none"> • Will handle thicker chemical products (use 3/4" line and fittings for less friction loss and back pressure) 	
	<p>Aro 1/2" Air Diaphragm Pump - Urethane</p> <ul style="list-style-type: none"> • Best selection for neutral pH wash solutions 	HOS-ARO-66605J38
	<p>Aro 1/2" Air Diaphragm Pump - Santoprene</p> <ul style="list-style-type: none"> • Best selection for wax and wash solutions not containing acid 	HOS-ARO-66605J34
	<p>Aro 1/2" Air Diaphragm Pump - Teflon</p> <ul style="list-style-type: none"> • Best selection for products containing acid • Higher end - most chemically compatible across the board 	HOS-ARO-66605J34

Extractor Dispensing Tool Parts

	Description	Eurovac Part No.
	3 1/2"W Replacement Detailer Hand Tool	CLE-JBD-BAREU156
	Cast Aluminum Valve w/ hanger (400psi)	CLE-JBD-V1245000
	OR	
	Plastic Valve-140F Max w/hanger (120psi)	CLE-JBD-V1245P00
	Valve Hanger For U156 Extractor Tool	CLE-JBD-AC31V500
	Stainless Steel Pan HD Screw - 10-32 x 1 3/16"	included w/CLE-JBD-R1245000
	Stainless Steel Hex Nut 10-32	included w/CLE-JBD-R1245000
no pic available	1/8"MPT x 3/16" Tube Comp Connector	CLE-JBD-CFT60000
no pic available	Ratainer Plate & Screws For U156 Extractor Tool	CLE-JBD-A4266001
no pic available	Stainless Steel Fillister HD Screw - 8 32 x 1/4" (QTY 2)	included w/CLE-JBD-A4266001
	1/4" Tube x 1/8"MPT NP Brass Push-In Swivel Y Branch	HOS-PIN-1604SM02
no pic available	Repair Kit 400psi Aluminum Valve <i>(Includes Hanger CLE-JBD-AC31V500, machine screw & nut, Valve stem, spring and O-rings.)</i>	CLE-JBD-R1245000

800-265-3878

White Nylon Hose Barb Fittings



	Description	Eurovac Part No.
Unions	3/8" x 3/8" White Nylon Union Hose Barb Fitting	HOS-PAR-N6UCB600
	1/2" x 1/2" White Nylon Union Hose Barb Fitting	HOS-PAR-N8UCB800
	Description	Eurovac Part No.
Tees	3/8" x 3/8" x 3/8" White Nylon Tee Hose Barb Fitting	HOS-PAR-N6TUB600
	1/2" x 1/2" x 1/2" White Nylon Tee Hose Barb Fitting	HOS-PAR-N8TUB800
	Description	Eurovac Part No.
Hose Clamps	Hose Clamp For 3/8" - 1/2" Hose	HOS-CGE-OSCG0006


White Nylon Compression Fittings




	Description	Eurovac Part No.
Unions	3/8" x 3/8" White Nylon Union Compression Fitting	HOS-PAR-N6UC6000
	1/2" x 1/2" White Nylon Union Compression Fitting	HOS-PAR-N8UC8000
	Description	Eurovac Part No.
Tees	3/8" x 3/8" x 3/8" White Nylon Tee Compression Fitting	HOS-PAR-N6TU6000
	1/2" x 1/2" x 1/2" White Nylon Tee Compression Fitting	HOS-PAR-N8TU8000

Brass Compression Fittings



	Description	Eurovac Part No.
	3/8" x 3/8" Tube Brass Compression Union	MPF-BRC-0U005005
	1/2" x 1/2" Tube Brass Compression Union	MPF-BRC-0U006006
	Description	Eurovac Part No.
	3/8" x 3/8" Tube Brass Compression 90 Elbow	MPF-BRC-0E005005
	1/2" x 1/2" Tube Brass Compression 90 Elbow	MPF-BRC-0E006006
	Description	Eurovac Part No.
	3/8" Tube x 1/4" MNPT Brass Compression Connector	MPF-BRC-TK005003
	1/2" Tube x 1/4" MNPT Brass Compression Connector	MPF-BRC-TK006003
	Description	Eurovac Part No.
	3/8" x 3/8" x 3/8" Tube Brass Compression Tee	MPF-BRC-0T005005
	1/2" x 1/2" x 1/2" Tube Brass Compression Tee	MPF-BRC-0T006006
Inserts & Sleeves <small>(Every compression fitting that is going to tubing requires one insert & one sleeve)</small>	Description	Eurovac Part No.
	3/8" Tube Size Brass Insert for Non-Metallic Tubing	MPF-BRC-0I005000
	1/2" Tube Size Brass Insert for Non-Metallic Tubing	MPF-BRC-0I006000
	3/8" Tube Sleeve Molded Acetal Resin	MPF-BRC-0S005MAR
	1/2" Tube Sleeve Molded Acetal Resin	MPF-BRC-0S006MAR


Brass Work Stations

	Description	Eurovac Part No.
	Single Drop Heated Extractor Assembly	SYS-SUB-EXSINGLE
	Double Drop Heated Extractor Assembly	SYS-SUB-EXDOUBLE






Insulation

	Description	Eurovac Part No.
	1/2" x 6' Pipe Insulation - Priced Per Ft	PPF-INS-00050600




Brass Fittings (For Thicker Waxes)

	Description	Eurovac Part No.
	3/4" FPT Brass Tee	MPF-BRE-NTTF0070
	3/4" ID Hose x 3/4" MPT Hose Barb Brass QTY 3 Required For Every Brass Tee	<ul style="list-style-type: none"> • HOS-BBR-00090M09
	3/4" ID Hose Clamp QTY 3 Required For Every Brass Tee	<ul style="list-style-type: none"> • HOS-CLG-DHC61200

800-265-3878

Flow Control Valves		
	Description	Eurovac Part No.
	1/4" FPT Brass Needle Valve Straight	MPF-BRV-NSF00003
Ball Valve		
	Description	Eurovac Part No.
	1/4" FPT Bronze Ball Valve	HOS-CON-14BV0000
Hydrominder & Hydrominder Parts		
Hydrominder	Description	Eurovac Part No.
	Hydrominder 515 1.5 GPM Soap Mixer ● THIS IS OUR STANDARD HYDROMINDER ● Brown Eductor Valve	SYS-HYD-05150000
	Hydrominder 511 4.5 GPM Soap Mixer ● Black Eductor Valve	SYS-HYD-05110000
	Hydrominder 532 Dual Eductor (Two 511's) 4.5 GPM Soap M	SYS-HYD-05320000
Pail & Lid For Hydrominder	Description	Eurovac Part No.
	12" Plastic White Pail & Lid w/Aluminum Attachment Plate	SUB-020-CDPAC000
Hydrominder Parts	Description	Eurovac Part No.
no pic available	Hydrominder #511 & #515 Strainer Washer	SYS-HYD-23810000
no pic available	Hydrominder #511 & #515 Water Valve Body (No. 8)	SYS-HYD-52000000
no pic available	Flomatic 3/4" Foot Valve	HOS-GRA-2A646000
	Hydrominder Blue (Viton Seal) Foot Valve With Strainer	SYS-HYD-10076301
no pic available	Metering Tip Kit, Threaded	SYS-HYD-69001500

800-265-3878

Proportioner Parts		
	Description	Eurovac Part No.
Proportioner	Proportioner - 1/4" ID Vinyl Flexible Tubing (per ft.) ● Purchase per foot or 100' lengths	SYS-HYD-50080000
	Proportioner - Standard Push In Tip Kit	SYS-HYD-69001400
	Proportioner - Ultra Lean Push In Tip Kit	SYS-HYD-90031210
Return Timer (For Heater & Pump)		
	Description	Eurovac Part No.
Return Timer	Repeat Timer Panel 100-240VAC Type 12 Enclosure	CPA-SPJ-0001120A
	2 Way NC GP 1/4" Solenoid Valve 120Vac Coil: ● Also required and is installed into return line.	HOS-ASC-8210G214
Air Regulator for ARO Pump	Description	Eurovac Part No.
	1/4" Air Regulator c/w Gauge & Mounting Bracket	HOS-FRL-AR200012
Mat Clamp		
Mat Clamp	Description	Eurovac Part No.
	Stainless Steel Mat Clamp with Urethane Grip	CLE-HAM-825SD000
Water Filters		
Inline Water Filter	Description	Eurovac Part No.
	3/4" Port Water Filter Hsg Only (No Filter)	SUB-020-00WF0700
	2pk FXWPC 2 1/2" x 9 3/4" Filter For 3/4" Port Water Filter Housing	SUB-020-00WFC000
	2pk FXWSC 2 1/4" x 9 3/4" Filter For 3/4" Port Water Filter Housing	SUB-020-00WFC000
** Both filters should fit the above water filter Housing **		