

Vacuum Ready Orbital Sanders:

3" Vac Ready Orbital Sander	Part No.	Description
~	TOO-AVT-S3230000	AirVantage 3" 3H 12000RPM (3/16 Orbit) Vac Ready Sander with 3/4" x 5' whip hose
Vac Ready Orbital Sander (1" Hose with Super Suction)	Part No.	Description
	TOO-EUR-A5600316	AirVantage 5" 6H 12000RPM (3/16 Orbit) Random Orbital Sander - Hook Pad • Accepts 1" hose cuff
	TOO-EUR-A6800316	AirVantage 6" 8H 12000RPM (3/16 Orbit) Random Orbital Sander - Hook Pad • Accepts 1" hose cuff
Vac Ready Orbital Sander (3/4" Light Weight Hose)	Part No.	Description
	TOO-EUR-A55HLP16	AirVantage 5" 5H 12000RPM (3/16 Orbit) Random Orbital Sander with 3/4" x 5' whip hose
	TOO-EUR-A66HLP16	AirVantage 6" 6H 12000RPM (3/16 Orbit) Random Orbital Sander with 3/4" x 5' whip hose
Orbital Notes:		

Specify your preference of vinyl, hook & loop or multi hole 3/16" orbit is the standard tool provided - 3/32" & 5/16" orbits are available upon request:

- Body Area Most aggressive sanding pattern Lower grits (ie: 80 grit)

3/16"

- Body Area Aggressive sanding pattern

Lower grits (ie: 80 grit)

3/32"

- Prep Area
- Finer, less aggressive sanding pattern Higher grits (ie: 400 & 600 grit)

Vacuum Ready Jitterbug Sanders:

Jitterbug Vac Ready Sander	Part No.	Description
	TOO-AVT-S3720000	AirVantage 3 2/3" x 7" Jitterbug VA 10H Vinyl Pad with 3/4" x 5' whip hose
• • • • •	TOO-AVT-S3721000	AirVantage 3 2/3" x 7" Jitterbug VA 10H Hook & Loop Pad with 3/4" x 5' whip hose
8" Vac Ready "Mud Hog" Orbital Sander	Part No.	Description
	TOO-ATO-45980SRP	Sioux GO459-80SRP 8" 9 Hole DA Sander and Vinyl Pad • Accepts a 1" and 1 1/4" hose cuff
	TOO-ATO-45980SRH	Sioux GO459-80SRP 8" 9 Hole DA Sander and Hook
	TOO-NAT-900DE000	National Detroit 900DE 8" 8 Hole DA Sander and Vinyl Pad • Accepts 1 1/4" hose cuff
	TOO-NAT-900DEH00	National Detroit 900DE 8" 8 Hole DA Sander and Hook Pad • Accepts 1 1/4" hose cuff
Hose not included with above tools. Vacuum port is 1 1/4"		
***Suggested Whip Hose:		
	HOS-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" to 1 1/4" Cuff (HOS-UNE-10012EBS), 1/4"Air

Vacuum Ready Longboard Sanders:

Vacuum Ready Longboard Sanders:		
Straightline Vac Ready Sander	Part No.	Description
Tamour Par	TOO-HUT-49200000	Hutchins 2000VA 2-3/4" x 16" Straightline 18H Sander Vinyl Pad
	TOO-HUT-4920H	Hutchins 2000VA 2-3/4" x 16" Straightline 18H Sander Hook & Loop Pad
***Hose not included with above tools.	·	
***Suggested Whip Hose:		
Suggested Timp 11050.	HOS-030-45607605	3/4" x 5' SC Black (1-1/4" Adaptor) Hose w/ 3/4" Cuff, 1/4"Air Requires the removal of the blue Hutchins cuffs. 3/4" whip hose connects right to metal take-off on tool This whip hose is highly recommended because it make the set up static conductive (the blue Hutchins cuff is not static conductive)
		OR
	HOS-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" to 1 1/4" Cuff (HOS-UNE-10012EBS), 1/4"Air • Make the following note when ordering: HOS-UNE- 10012EBS 1 1/4" SC Cuff needed to be added to end of above hose

Orbital Vac Ready Sander	Part No.	Description	
PATRICIA AND AND AND AND AND AND AND AND AND AN	TOO-HUT-4932H000	Hutchins 800VA Orbital File Hook Pad	
***Hose not included with above tool.			
***Suggested Whip Hose:			



HOS-030-45607605	3/4" x 5' SC Black (1-1/4" Adaptor) Hose w/ 3/4" Cuff, 1/4"Air Requires the removal of the blue Hutchins cuffs. 3/4" whip hose connects right to metal take-off on tool This whip hose is highly recommended because it make the set up static conductive (the blue Hutchins cuff is not
	static conductive)
	OR
HOS-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" to 1 1/4" Cuff (HOS-UNE-10012EBS), 1/4"Air • Make the following note when ordering: HOS-UNE- 10012EBS 1 1/4" SC Cuff needed to be added to end of

Vacuum Ready Handsanders Sanders:

15 3/4" Vac Ready Handsander	Part No.	Description
		2 3/4" x 15 3/4" Vac Assist Hook Handsander • Accepts 3/4" hose cuff

above hose

Above handsander require 8' handsander hose

7 3/4" Vac Ready Handsander	Part No.	Description
		2 3/4" x 7 3/4" Vac Assist Hook Handsander • Accepts 3/4" hose cuff

Above handsander require 8' handsander hose

6 3/4" & 7 1/2" Vac Ready Handsander	Part No.	Description
	TOO-EUR-HS0050VA	2 3/4" x 5" Vac Assist Hook Handsander • Accepts 3/4" hose cuff

Above handsander require 8' handsander hose

Handsander Hose for 1400, 1411, & 1405 Series	Part No.	Description
	TOO-EEZ-101310SC	3/4" x 8' (to 1-1/4") SC Handsander Hose

Vacuum Ready Pnuematic Rotary Sanders:

2" Vac Ready Sander	Part No.	Description	
	TOO-SIO-TB5055A2	Sioux 5055A 2" 20000RPM Light Duty Roloc Grinder 1" Vacuum Take-off (3/4 Brush Provided Loose)	
	TOO-SIO-TB1DA322	Sioux 1DA321 2" 12000RPM Heavy Duty Roloc Grinder 1" Vacuum Take-off (3/4 Brush Provided Loose)	
***Suggested Whip Hose:	•		
	HOS-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" Cuff, 1/4"Air	
3" Vac Ready Sander	Part No.	Description	
	TOO-SIO-TB5055A3	Sioux 5055A 3" 20000RPM Light Duty Roloc Grinder 1" Vacuum Take-off (3/4 Brush Provided Loose)	
	TOO-SIO-TB1DA323	Sioux 1DA321 3" 12000RPM Heavy Duty Roloc Grinder 1" Vacuum Take-off (3/4 Brush Provided Loose)	
***Suggested Whip Hose:	T		
	HOS-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" Cuff, 1/4"Air	
4" to 8" Resin Cloth Rotary Sander	Part No.	Description	
	TOO-EUR-5265V400	Sioux #5265 7000RPM 4" 8 Hole Sander	
	TOO-EUR-5265V5	Sioux #5265 7000RPM 5" 8 Hole Sander	
	TOO-EUR-45006160	Eurovac 4500RPM 6" 16H Resin Cloth Sander	
	TOO-EUR-52388160	Sioux #5238 3000RPM 8" 16H Sander	
	TOO-EUR-45008160	Eurovac 4500RPM 8" 16H Resin Cloth Sander	
***Suggested Whip Hose For 4" & 5":			
	HOS-030-45612805	1 1/4" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1-1/4" to 1 1/2" Cuff (HOS-UNE-12515EBS), 3/8"Air	
***Suggested Whip Hose For 6" & 8":			
	HOS-030-45615005	1 1/2" x 5' SC Black (1-1/2" Adaptor) Hose w/ 1-1/2" Cuff, 3/8" Air	

6" Fiber Disc Rotary Sander	Part No.	Description	
	TOO-EUR-5265V4F0	Sioux #5265 7000RPM 4" 8 Hole Fiber Disc Sander	
	TOO-EUR-45006140	Eurovac 4500RPM 6" 14H Fibre Disc Grinder	
***Suggested Whip Hose For 6" & 8":			
	HOS-030-45615005	1 1/2" x 5' SC Black (1-1/2" Adaptor) Hose w/ 1-1/2" Cuff, 3/8" Air	
6" Vac Ready Sander (With Brush Shrouds)	Part No.	Description	
	TOO-SIO-TBE52654	Sioux #5265 7000RPM 4" 8 Hole Sander with additional brush shroud	
	TOO-SIO-TBE52655	Sioux #5265 7000RPM 5" 8 Hole Sander with additional brush shroud	
	TOO-EUR-4500616B	Eurovac 4500RPM 6" 16H Grinder with additional brush shroud	
	TOO-EUR-4500614B	Eurovac 4500RPM 6" 14H Fibre Disc Grinder with additional brush shroud	
***Suggested Whip Hose For 4" & 5":			
	HOS-030-45612805	1 1/4" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1-1/4" Cuff, 3/8"Air	
***Suggested Whip Hose For 6" & 8":			
	HOS-030-45615005	1 1/2" x 5' SC Black (1-1/2" Adaptor) Hose w/ 1-1/2" Cuff, 3/8" Air	

Electric Rotary Sanders

Electric Grinders	Part No.	Description
	TOO-EUR-D2840248	Dewalt #D2840248 4" 8H Fiber Disc Grinder
	TOO-MAK-T9015DBB	Makita #9015DB 5" Walter Brush Grinder
	TOO-MIL-T60657B0	Milwaukee #6065 7" Brush Grinder
***Suggested Whip Hose For 6" & 8":		
	HOS-050-35615005	1 1/2" x 5' SC Black (1-1/2" Adaptor) Hose w/ 1-1/2" Cuff

Vacuum Ready Pnuematic Trimmers:

vacuum Ready Findematic Trimmers.		
2" Trimmers	Part No.	Description
	TOO-DIA-10200000	Diatrim 2" #10-2 Trim Saw: • 7/16" Cutting Depth • Air Consumption: 15CFM 90PSI • Weight: 1 3/4LBS • RPM: 19,000
3" Trimmers	Part No.	Description
рыташ	TOO-DIA-10300000	Diatrim 3" #10-3 Trim Saw: 1/2" Cutting Depth Air Consumption: 19CFM 90PSI Weight: 3LBS RPM: 12,000
4" Trimmers	Part No.	Description
[Dia Yanu]	TOO-DIA-10400000	Diatrim 4" #10-4 Trim Saw: Includes an extra trimmer blade " Cutting Depth Air Consumption: 23CFM 80PSI Weight: 4LBS RPM: 12,700
THE PARTY NAMED IN	TOO-SIO-TT526540	Sioux 5265 4" "Euro" Trimmer Tool
5" Trimmers	Part No.	Description
(DETAIL)	TOO-DIA-10500000	Diatrim 5" #10-5 Trim Saw: Includes an extra trimmer blade 1-1/2" Cutting Depth Air Consumption: 23CFM 80PSI Weight: 5LBS RPM: 12,700
6" Trimmers	Part No.	Description
(Del/mil)	TOO-DIA-1060X000	Diatrim 6" #10-6 Excalibur Trim Saw: 1-5/8" Cutting Depth Air Consumption: 44CFM 90PSI Weight: 7.5LBS RPM: 12,000
(Dis Yana)	TOO-DIA-1065X000	Diatrim 6 1/2" #10-65 Excalibur Trim Saw: • 2" Cutting Depth • Air Consumption: 44CFM 90PSI • Weight: 7.5LBS • RPM: 12,000

Routers & Backfacers Vacuum Ready Pnuematic:

Trouters & Businessis Tubulan Troudy : Indometric		
Pnuematic Router	Part No.	Description
	TOO-DIA-30SE5000	Diatrim #30-SE5 Pneumatic Router
Pneumatic Backfacing Units	Part No.	Description
	TOO-DIA-20BF10	Diatrim #20BF10 Backfacing Unit w/ Suction
	TOO-DIA-20BF15	Diatrim #20BF10 Backfacing Unit w/ Suction
11" Vac Ready Orbital Sander	Part No.	Description
	TOO-GEM-0BWHSC000	Gem BM-HS 11" Random Orbital Sander Hose not included

Vacuum Ready Hole Saws:

2" Trimmers	Part No.	Description
	HOO-SIO-FUR14541	Sioux #1454ES 2600RPM 3/8" Drill & 2.75" Hole Saw "Euro" Kit
	TOO-SIO-FHR1/610	Sioux #1451ES 2000RPM 3/8" Drill & 2.75" Hole Saw "Euro" Kit

Vacuum Welding Guns:

Vac Ready Mig Guns	Part No.	Description
	TOO-TBI-0024E030	TBI 240e 3m 240A Fume Ex Mig Gun Euro
	TOO-TBI-0024E040	TBI 240e 4m 240A Fume Ex Mig Gun Euro
	TOO-TBI-0024E050	TBI 240e 5m 240A Fume Ex Mig Gun Euro
		Extractor 340FG Fume Gun w/ Fast Mate Back End
		Miller Adaptor To Fit Customer Feeder
Spark Arrestor	Part No.	Description
	TOO-WEL-005A150	6" x 6" Spark Arrestor 1 1/2" I/O

Vacuum Circular Saws:

Circular Saw	Part No.	Description
	TOO-MAK-5057KB00	Makita Circular Saw with Dust Collector

Vacuum Ready Belt Sanders:

•		
Belt Sander	Part No.	Description
	TOO-POR-TP363000	P/R #363 4" x 24" Beltsander with "Euro" Kit