



Vacuum Ready Tools

ORBITS & TYPICAL APPLICATIONS

5/16" Orbit:

- Most Aggressive Sanding Pattern
- Body Area
- Low Grits (ie: 60-120gr)



3/16" Orbit:

- Aggressive Sanding Pattern
- Body Area
- Low Grits (ie: 60-120gr)

3/32" Orbit:


- Less Aggressive Sanding Pattern
- Prep Area
- Higher Grits (ie: 400-600gr)

3" Pneumatic Vacuum Ready Orbital Sanders

3" Vac Ready Orbital Sander	Description	Part No.								
	<p>3" VAC READY ORBITAL SANDER</p> <p>Tool Specs & Info:</p> <ul style="list-style-type: none"> • 12000 RPM • Accepts 1/4"-20 Threaded Pad • 3/4" Female Threaded Vacuum Take-off (Take-off will accept 1-1/4" cuff over OD) • 3/4" whip hose recommended • 1" whip hose available upon request <table border="1"> <thead> <tr> <th>Pad Dim In</th> <th>Motor HP</th> <th>Air Flow SCFM *</th> <th>Weight Size Pounds **</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>.28</td> <td>17</td> <td>1.8</td> </tr> </tbody> </table> <p>* Air flow/consumption specifications are @ 90 psig (6.2 bar)</p> <p>** Does not include the weight of the whip hose</p>	Pad Dim In	Motor HP	Air Flow SCFM *	Weight Size Pounds **	3	.28	17	1.8	
	Pad Dim In	Motor HP	Air Flow SCFM *	Weight Size Pounds **						
	3	.28	17	1.8						
	Eurovac 3" 3 Hole Hook (3/16 Orbit) Orbital Sander	TOO-EUR-A33HLP16								
	Eurovac 3" 3 Hole Vinyl (3/16 Orbit) Orbital Sander	TOO-EUR-A33VLP16								
Eurovac 3" 3 Hole Hook (3/32 Orbit) Orbital Sander	TOO-EUR-A33HLP32									
Eurovac 3" 3 Hole Vinyl (3/32 Orbit) Orbital Sander	TOO-EUR-A33VLP32									
* Hose not included with tool										
3" Sander Accessories	Description	Part No.								
	<p>3/4" x 5' Static Conductive Black Whip Hose w/ 1/4" Air</p> <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-07505BWA								
	<p>1" x 5' Static Conductive Black Whip Hose w/ 1/4" Air</p> <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-01005BWA								


5" & 6" Pneumatic Vacuum Ready Orbital Sanders

5" & 6" Vac Ready Orbital Sander	Description	Part No.												
	<p>5" & 6" VAC READY ORBITAL SANDER</p> <p>Tool Specs & Info:</p> <ul style="list-style-type: none"> • 12000 RPM • Accepts 5/16"-24 Threaded Pad • 3/4" Female Threaded Vacuum Take-off (Take-off will accept 1-1/4" cuff over OD) • 3/4" whip hose recommended • 1" whip hose available upon request <table border="1" data-bbox="531 525 1224 693"> <thead> <tr> <th>Pad Dim Inches</th> <th>Motor HP</th> <th>Air Flow SCFM *</th> <th>Weight Size Pounds **</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>.28</td> <td>17</td> <td>1.9</td> </tr> <tr> <td>6</td> <td>.28</td> <td>17</td> <td>2.0</td> </tr> </tbody> </table> <p>* Air flow/consumption specifications are @ 90 psig (6.2 bar) ** Does not include the weight of the whip hose</p>	Pad Dim Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **	5	.28	17	1.9	6	.28	17	2.0	
	Pad Dim Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **										
	5	.28	17	1.9										
	6	.28	17	2.0										
<p>Eurovac 5" Vacuum Ready Hook (5/16 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad • Super Suction 6 Hole Pad • Multi Hole Pad 	TOO-EUR-A55HLP51 or TOO-EUR-A56HLP51 or TOO-EUR-A5MHLP51													
<p>Eurovac 5" Vacuum Ready Vinyl (5/16 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad • Super Suction 6 Hole Pad • Multi Hole Pad 	TOO-EUR-A55VLP51													
<p>Eurovac 5" Vacuum Ready Hook (3/16 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad • Super Suction 6 Hole Pad • Multi Hole Pad 	TOO-EUR-A55HLP16 or TOO-EUR-A56HLP16 or TOO-EUR-A5MHLP16													
<p>Eurovac 5" Vacuum Ready Vinyl (3/16 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad 	TOO-EUR-A55VLP16													
<p>Eurovac 5" Vacuum Ready Hook (3/32 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad • Super Suction 6 Hole Pad • Multi Hole Pad 	TOO-EUR-A55HLP32 or TOO-EUR-A56HLP32 or TOO-EUR-A5MHLP32													
<p>Eurovac 5" Vacuum Ready Vinyl (3/32 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad 	TOO-EUR-A55VLP32													



	Eurovac 6" Vacuum Ready Hook (5/16 Orbit) Orbital Sander Pad Options: <ul style="list-style-type: none"> • Standard 6 Hole Pad • Super Suction 8 Hole Pad • Multi Hole Pad 	TOO-EUR-A66HLP51 or TOO-EUR-A68HLP51 or TOO-EUR-A6MHLP51
	Eurovac 6" Vacuum Ready Vinyl (5/16 Orbit) Orbital Sander Pad Options: <ul style="list-style-type: none"> • Standard 6 Hole 	TOO-EUR-A66VLP51
	Eurovac 6" Vacuum Ready Hook (3/16 Orbit) Orbital Sander Pad Options: <ul style="list-style-type: none"> • Standard 6 Hole Pad • Super Suction 8 Hole Pad • Multi Hole Pad 	TOO-EUR-A66HLP16 or TOO-EUR-A68HLP16 or TOO-EUR-A6MHLP16
	Eurovac 6" Vacuum Ready Vinyl (3/16 Orbit) Orbital Sander Pad Options: <ul style="list-style-type: none"> • Standard 6 Hole Pad 	TOO-EUR-A66VLP16
	Eurovac 6" Vacuum Ready Hook (3/32 Orbit) Orbital Sander Pad Options: <ul style="list-style-type: none"> • Standard 6 Hole Pad • Super Suction 8 Hole Pad • Multi Hole Pad 	TOO-EUR-A66HLP32 or TOO-EUR-A68HLP32 or TOO-EUR-A6MHLP32
* Hose not included with tool	Eurovac 6" Vacuum Ready Vinyl (3/32 Orbit) Orbital Sander Pad Options: <ul style="list-style-type: none"> • Standard 6 Hole Pad 	TOO-EUR-A66VLP32
5" & 6" Sander Accessories	Description	Part No.
	3/4" x 5' Static Conductive Black Whip Hose w/ 1/4" Air <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-07505BWA
	1" x 5' Static Conductive Black Whip Hose w/ 1/4" Air <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-01005BWA

5" & 6" Electric Vacuum Ready Orbital Sanders



Electric 5" & 6" Vac Ready Orbital Sander	Description	Part No.												
 	<p>ELECTRIC 5" & 6" VAC READY ORBITAL SANDER</p> <p>Tool Specs & Info:</p> <ul style="list-style-type: none"> • 12000 RPM • 3/4" Female Threaded Vacuum Take-off (Take-off will accept 1-1/4" cuff over OD) • 3/4" whip hose recommended • 1" whip hose available upon request <table border="1"> <thead> <tr> <th>Pad Dim Inches</th> <th>Motor HP</th> <th>Air Flow SCFM *</th> <th>Weight Size Pounds **</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>.28</td> <td>17</td> <td>1.9</td> </tr> <tr> <td>6</td> <td>.28</td> <td>17</td> <td>2.0</td> </tr> </tbody> </table> <p>* Air flow/consumption specifications are @ 90 psig (6.2 bar)</p> <p>** Does not include the weight of the whip hose</p>	Pad Dim Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **	5	.28	17	1.9	6	.28	17	2.0	
	Pad Dim Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **										
	5	.28	17	1.9										
	6	.28	17	2.0										
<p>AirVantage Electric 5" Vacuum Ready Hook (3/16 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad • Super Suction 6 Hole Pad • Multi Hole Pad 	<p>TOO-EUR-E55HLP16 or TOO-EUR-E56HLP16 or TOO-EUR-E5MHLP16</p>													
<p>AirVantage Electric 5" Vacuum Ready Vinyl (3/16 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad 	<p>TOO-EUR-E55VLP16</p>													
<p>AirVantage Electric 5" Vacuum Ready Hook (3/32 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad • Super Suction 6 Hole Pad • Multi Hole Pad 	<p>TOO-EUR-E55HLP32 or TOO-EUR-E56HLP32 or TOO-EUR-E5MHLP32</p>													
<p>AirVantage Electric 5" Vacuum Ready Vinyl (3/32 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 5 Hole Pad 	<p>TOO-EUR-E55VLP32</p>													
<p>AirVantage Electric 6" Vacuum Ready Hook (3/16 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 6 Hole Pad • Super Suction 8 Hole Pad • Multi Hole Pad 	<p>TOO-EUR-E66HLP16 or TOO-EUR-E68HLP16 or TOO-EUR-E6MHLP16</p>													
<p>AirVantage Electric 6" Vacuum Ready Vinyl (3/16 Orbit) Orbital Sander</p> <p>Pad Options:</p> <ul style="list-style-type: none"> • Standard 6 Hole Pad 	<p>TOO-EUR-E66VLP16</p>													

	AirVantage Electric 6" Vacuum Ready Hook (3/32 Orbit) Orbital Sander Pad Options: <ul style="list-style-type: none"> • Standard 6 Hole Pad • Super Suction 8 Hole Pad • Multi Hole Pad 	TOO-EUR-E66HLP32 or TOO-EUR-E68HLP32 or TOO-EUR-E6MHLP32
	AirVantage Electric 6" Vacuum Ready Vinyl (3/32 Orbit) Orbital Sander Pad Options: <ul style="list-style-type: none"> • Standard 6 Hole Pad 	TOO-EUR-E66VLP32
5" & 6" Electric Sander Accessories	Description	Part No.
	3/4" x 5' Static Conductive Black Whip Hose w/ 1/4" Air <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-07505BWA
	1" x 5' Static Conductive Black Whip Hose w/ 1/4" Air <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-01005BWA



3" x 4" Vacuum Ready Sanders

3" x 4" Vac Ready Sander	Description	Part No.								
	3" x 4" VAC READY SANDER Tool Specs & Info: <ul style="list-style-type: none"> • Sander requires 1" whip hose shown below • 3/4" whip hose available upon request 									
	<table border="1"> <thead> <tr> <th>Pad Dim Inches</th> <th>Motor HP</th> <th>Air Flow SCFM *</th> <th>Weight Size Pounds **</th> </tr> </thead> <tbody> <tr> <td>3 x 4</td> <td>.24</td> <td>17</td> <td>1.7</td> </tr> </tbody> </table>	Pad Dim Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **	3 x 4	.24	17	1.7	
	Pad Dim Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **						
	3 x 4	.24	17	1.7						
<small>* Air flow/consumption specifications are @ 90 psig (6.2 bar) ** Does not include the weight of the whip hose</small>										
	3" x 4" 4 Hole Hook Sander	TOO-EUR-A030404H								
	3" x 4" 4 Hole Vinyl Sander	TOO-EUR-A030404V								
3" x 4" Sander Accessories	Description	Part No.								
	3/4" x 5' Static Conductive Black Whip Hose w/ 1/4" Air <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-07505BWA								
	1" x 5' Static Conductive Black Whip Hose w/ 1/4" Air <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-01005BWA								


3-2/3" x 7" Vacuum Ready Jitterbug Sanders



Jitterbug Vac Ready Sander	Description	Part No.								
	<p>3 2/3" x 7" VAC READY JITTERBUG SANDER</p> <p>Tool Specs & Info:</p> <ul style="list-style-type: none"> Sander requires 1" whip hose shown below 3/4" whip hose available upon request 									
	<table border="1"> <thead> <tr> <th>Pad Dim Inches</th> <th>Motor HP</th> <th>Air Flow SCFM *</th> <th>Weight Size Pounds **</th> </tr> </thead> <tbody> <tr> <td>3-2/3 x 7</td> <td>.24</td> <td>16</td> <td>2.35</td> </tr> </tbody> </table> <p>* Air flow/consumption specifications are @ 90 psig (6.2 bar) ** Does not include the weight of the whip hose</p>	Pad Dim Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **	3-2/3 x 7	.24	16	2.35	
	Pad Dim Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **						
	3-2/3 x 7	.24	16	2.35						
<p>Eurovac 3 2/3" x 7" 10 Hole Hook (1/8" Orbit) Jitterbug Sander</p>	TOO-EUR-A323710H									
<p>Eurovac 3 2/3" x 7" 10 Hole Vinyl (1/8" Orbit) Jitterbug Sander</p>	TOO-EUR-A323710V									
Jitterbug Sander Accessories	Description	Part No.								
	<p>3/4" x 5' Static Conductive Black Whip Hose w/ 1/4" Air</p> <ul style="list-style-type: none"> 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-07505BWA								
	<p>1" x 5' Static Conductive Black Whip Hose w/ 1/4" Air</p> <ul style="list-style-type: none"> 1-1/4" Adaptor - Connects To Existing hose 	HOS-AVT-01005BWA								

8" Vacuum Ready "Mud Hog" Sanders

8" Vac Ready "Mud Hog" Orbital Sander	Description	Part No.
	<p>8" VAC READY MUDHOG SANDER</p> <p>Tool Specs & Info:</p> <ul style="list-style-type: none"> Accept 1 1/4" hose cuff 	
	<p>Eurovac 8" 9 Hole Mud Hog Hook DA Sander</p>	TOO-EUR-G89H0901
	<p>Eurovac 8" 9 Hole Mud Hog Vinyl DA Sander</p>	TOO-EUR-G89H0901
8" Sander Accessories	Description	Part No.
	<p>1" x 5' Static Conductive Black Whip Hose w/ 1/4" Air</p> <ul style="list-style-type: none"> 1-1/4" Adaptor - Connects To Existing hose 	HOS-030-45610105

2-3/4" x 16" Vacuum Ready Longboard Sanders


Straightline Vac Ready Sander	Description	Part No.
	<p>Hutchins 2-3/4" x 16" 18 Hole Hook Straightline Sander</p> <ul style="list-style-type: none"> Model #2000VA Accepts 3/4" hose cuff 	TOO-HUT-4920H
	<p>Hutchins 2-3/4" x 16" 18 Hole Vinyl Straightline Sander</p> <ul style="list-style-type: none"> Model #2000VA Accepts 3/4" hose cuff 	TOO-HUT-49200000

Orbital Vac Ready Sander	Description	Part No.
	Hutchins 2-3/4" x 16" 18 Hole Hook Orbital Sander <ul style="list-style-type: none"> • Model #800VA • Accepts 3/4" hose cuff 	TOO-HUT-4932H000
	Hutchins 2-3/4" x 16" 18 Hole Vinyl Orbital Sander <ul style="list-style-type: none"> • Model #800VA • Accepts 3/4" hose cuff 	TOO-HUT-49320000
Longboard Sander Accessories	Description	Part No.
	3/4" x 5' Static Conductive Black Whip Hose w/ 1/4" Air <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-030-45607605


Vacuum Ready Handsanders Sanders

Vac Ready Handsanders	Description	Part No.
	VAC READY HANDSANDERS Tool Specs & Info: <ul style="list-style-type: none"> • Accept 3/4" hose cuff 	
	2 3/4" x 15 3/4" 14 Hole Hook Handsander	TOO-EUR-HS0150VA
	2 3/4" x 7 3/4" 8 Hole Hook Handsander	TOO-EUR-HS0070VA
	2 3/4" x 5" 8 Hole Hook Handsander	TOO-EUR-HS0050VA
Handsander Accessories	Description	Part No.
	3/4" x 5' Static Conductive Black Whip Hose	HOS-050-35607705







Tool & Sandpaper Starter Packages

Tool & Sandpaper Starter Packages	Description	Part No.
	Dedicated 6" & 8" Aluminium Dustless Sanding Tool/Paper Package: <ul style="list-style-type: none"> • Qty 1 - 6" 6H Aluminum DA Sander w/ 5' whip hose • Qty 1 - 8" 9H Aluminum Mud Hog Sander w/ 5' whip hose • Qty 1 - 6" 6H Aluminium Sandpaper Sample Box • Qty 1 - 8" 9H Aluminium Sandpaper Sample Box 	SYS-050-SPS8I
	Dedicated 6" & Longboard Aluminium Dustless Sanding Tool/Paper Package: <ul style="list-style-type: none"> • Qty 1 - 6" 6H Aluminum DA Sander w/ 5' whip hose • Qty 1 - 16" 18H Aluminum Straightline Sander w/ 5' whip hose • Qty 1 - 6" 6H Aluminium Sandpaper Sample Box • Qty 1 - 16" 18H Aluminium Sandpaper Sample Box 	50-SPS8IL


2" & 3" Vacuum Ready Roll On Angle Grinders


2" & 3" Vac Ready Roll On Angle Grinder	Description	Part No.								
	<p>2" & 3" VAC READY ROLL ON ANGLE GRINDER</p> <p>Tool Specs & Info:</p> <ul style="list-style-type: none"> • 20000 RPM • Accept 1" hose cuff • Ergonomic handle with good grip • Lever vanishes by sinking snugly into housing • Rear exhaust • Composite housing • 360 deg adjustable exhaust outlet • 90 deg angle head allows flexibility in tight corners • Includes roll-on pad <table border="1" data-bbox="531 639 1239 754"> <thead> <tr> <th>Collet Inches</th> <th>Motor HP</th> <th>Air Flow SCFM *</th> <th>Weight Size Pounds **</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>.5</td> <td>4</td> <td>1.54 (no shroud)</td> </tr> </tbody> </table>	Collet Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **	1/4"	.5	4	1.54 (no shroud)	
Collet Inches	Motor HP	Air Flow SCFM *	Weight Size Pounds **							
1/4"	.5	4	1.54 (no shroud)							
	<p>Eurovac 2" Roll On Angle Grinder w/ Steel Vacuum Shroud</p> <ul style="list-style-type: none"> • Includes 2" Roll On Pad • Accepts 1" Hose Cuff 	TOO-EUR-V2200002-2								
	<p>Eurovac 3" Roloc Grinder w/ Steel Vacuum Shroud</p> <ul style="list-style-type: none"> • Includes 3" 12 Hole Roll On Pad • Accepts 1" Hose Cuff 	TOO-EUR-V2200003-2								
Roll On Grinder Accessories	Description	Part No.								
	<p>1" x 5' Static Conductive Black Whip Hose w/ 1/4" Air</p> <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-030-45610105								

4" & 5" Vacuum Ready Rotary Sanders

4" & 5" Vacuum Ready Rotary Sanders	Description	Part No.								
	<p>4" & 5" VAC READY ROTARY SANDER</p> <p>Tool Specs & Info:</p> <ul style="list-style-type: none"> • 7000 RPM • Safety lever throttle • Built-in speed regulator • Rear exhaust • Length: 9.4" • Spindle Thread: 5/8" - 11 • Includes pad & center screw / nut <table border="1" data-bbox="529 546 1238 669"> <thead> <tr> <th>Air Inlet Size</th> <th>Suggested Hose Size</th> <th>Air Flow SCFM *</th> <th>Weight Size Pounds **</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>3/8"</td> <td>4.5 avg.</td> <td>2.9 (no shroud)</td> </tr> </tbody> </table>	Air Inlet Size	Suggested Hose Size	Air Flow SCFM *	Weight Size Pounds **	1/4"	3/8"	4.5 avg.	2.9 (no shroud)	
Air Inlet Size	Suggested Hose Size	Air Flow SCFM *	Weight Size Pounds **							
1/4"	3/8"	4.5 avg.	2.9 (no shroud)							
 <p>* Hose not included with tool</p>	<p>Eurovac 4" 8 Hole Resin Cloth Rotary Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-G49H7000								
	<p>Eurovac 4" 8 Hole Fiber Disc Rotary Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-G49F7000								
 <p>* Hose not included with tool</p>	<p>Eurovac 5" 8 Hole Resin Cloth Rotary Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-G59H7000								
 <p>* Hose not included with tool</p>	<p>Eurovac 5" 8 Hole Fiber Disc Rotary Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-G59F7000								
	<p>Eurovac 5" Fiber Disc Rotary Sander w/ Plastic Brush Vacuum Shroud</p> <ul style="list-style-type: none"> • Accepts 1-1/4" Hose Cuff 	TOO-EUR-G5BR7000-1								
	<p>Eurovac 5" Fiber Disc Rotary Sander w/ Steel Brush Vacuum Shroud</p> <ul style="list-style-type: none"> • Accepts 1-1/4" Hose Cuff 	TOO-EUR-G5BR7000-2								
Rotary Sander Accessories	Description	Part No.								
	<p>1 1/4" x 5' Static Conductive Black Whip Hose w/ 3/8" Air</p> <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-030-45613505								

6" & 8" Vacuum Ready Rotary Sanders




6" & 8" Vacuum Ready Rotary Sander	Description	Part No.								
	<p>6" & 8" VAC READY ROTARY SANDER</p> <p>Tool Specs & Info:</p> <ul style="list-style-type: none"> • 4500 RPM • Built-in speed regulator • Rear exhaust • Length: 12.6" • Spindle Thread: 5/8" - 11 • Includes pad & center screw / nut <table border="1"> <thead> <tr> <th>Air Inlet Size</th> <th>Suggested Hose Size</th> <th>Air Flow SCFM *</th> <th>Weight Size Pounds **</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>3/8"</td> <td>4.8 avg.</td> <td>4.4 (no shroud)</td> </tr> </tbody> </table>	Air Inlet Size	Suggested Hose Size	Air Flow SCFM *	Weight Size Pounds **	1/4"	3/8"	4.8 avg.	4.4 (no shroud)	
Air Inlet Size	Suggested Hose Size	Air Flow SCFM *	Weight Size Pounds **							
1/4"	3/8"	4.8 avg.	4.4 (no shroud)							
 <p>* Hose not included with tool</p>	<p>Eurovac 6" 16 Hole (8 Inner & 8 Outer Holes) Resin Cloth Rotary Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-V617H450								
 <p>* Hose not included with tool</p>	<p>Eurovac 6" 14 Hole Fiber Disc Rotary Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-V614F450								
	<p>Eurovac 7" Fiber Disc Rotary Sander w/ Plastic Brush Vacuum Shroud</p> <ul style="list-style-type: none"> • Accepts 1-1/4" Hose Cuff 	TOO-EUR-V7BR4500-1								
	<p>Eurovac 7" Fiber Disc Rotary Sander w/ Steel Brush Vacuum Shroud</p> <ul style="list-style-type: none"> • Accepts 1-1/4" Hose Cuff 	TOO-EUR-V7BR4500-2								
 <p>* Hose not included with tool</p>	<p>Eurovac 8" 16 Hole (8 Inner & 8 Outer Holes) Resin Cloth Rotary Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-V816H450								
 <p>* Hose not included with tool</p>	<p>Eurovac 8" 16 Hole (Outer Edge Holes) Resin Cloth Rotary Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-V816H451								
 <p>* Hose not included with tool</p>	<p>Eurovac 8" 16 Hole (Outer Edge Holes) Fiber Disc Sander</p> <ul style="list-style-type: none"> • Accepts 1-1/2" Hose Cuff 	TOO-EUR-V816F451								

Rotary Sander Accessories	Description	Part No.
	1 1/4" x 5' Static Conductive Black Whip Hose w/ 3/8" Air <ul style="list-style-type: none"> • 1-1/4" Adaptor - Connects To Existing hose 	HOS-030-45613505
	1 1/2" x 5' Static Conductive Black Whip Hose w/ 3/8" Air <ul style="list-style-type: none"> • 1-1/2" Adaptor - Connects To Existing hose 	HOS-030-45615005

Vacuum Ready Pneumatic Trimmers

Trimmers	Description	Part No.
	Diatrim 2" #10-2 Trim Saw: <ul style="list-style-type: none"> • 7/16" Cutting Depth • Air Consumption: 15CFM 90PSI • Weight: 1 3/4LBS • RPM: 19,000 	TOO-DIA-10200000
	Diatrim 3" #10-3 Trim Saw: <ul style="list-style-type: none"> • 1/2" Cutting Depth • Air Consumption: 19CFM 90PSI • Weight: 3LBS • RPM: 12,000 	TOO-DIA-10300000
	Diatrim 4" #10-4 Trim Saw: <ul style="list-style-type: none"> • Includes an extra trimmer blade • 1" Cutting Depth • Air Consumption: 23CFM 80PSI • Weight: 4LBS • RPM: 12,700 	TOO-DIA-10400000
	Diatrim 5" #10-5 Trim Saw: <ul style="list-style-type: none"> • Includes an extra trimmer blade • 1-1/2" Cutting Depth • Air Consumption: 23CFM 80PSI • Weight: 5LBS • RPM: 12,700 	TOO-DIA-10500000
	Diatrim 6" #10-6 Excalibur Trim Saw: <ul style="list-style-type: none"> • 1-5/8" Cutting Depth • Air Consumption: 44CFM 90PSI • Weight: 7.5LBS • RPM: 12,000 	TOO-DIA-1060X000
	Diatrim 6 1/2" #10-65 Excalibur Trim Saw: <ul style="list-style-type: none"> • 2" Cutting Depth • Air Consumption: 44CFM 90PSI • Weight: 7.5LBS • RPM: 12,000 	TOO-DIA-1065X000

Vacuum Ready Pneumatic Routers & Backfacers

Pneumatic Router	Description	Part No.
 A long, slender pneumatic router with a black handle and a silver body, angled upwards.	Diatrim #30-SE5 Pneumatic Router	TOO-DIA-30SE5000
Pneumatic Backfacing Units	Description	Part No.
 A compact, angled pneumatic backfacing unit with a silver body and a black handle, angled upwards.	Diatrim #20BF10 Backfacing Unit w/ Suction	TOO-DIA-20BF10
 A larger, more complex pneumatic backfacing unit with a silver body and a black handle, angled upwards.	Diatrim #20BF10 Backfacing Unit w/ Suction	TOO-DIA-20BF15